

# **Safety Data Sheet**

Issue Date: 27-Dec-2011 Revision Date: 09-Jul-2015 Version 2

## 1. IDENTIFICATION

**Product Identifier** 

Product Name Buckeye Eco Neutral Disinfectant

Other means of identification

**SDS #** BE-6023

Product Code 6023 UN/ID No UN1760

Recommended use of the chemical and restrictions on use

Recommended Use Cleaner. Disinfectant. Waterbased.

## Details of the supplier of the safety data sheet

**Supplier Address** 

Buckeye International, Inc. 2700 Wagner Place Maryland Heights, MO 63043 USA

**Emergency Telephone Number** 

Company Phone Number 1-651-632-8956 (International)

1-800-303-0441 (North America)

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Clear green liquid Physical State Liquid Odor Clean and fresh fragrance

Classification

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1

# **Hazards Not Otherwise Classified (HNOC)**

May be harmful if swallowed

Signal Word

Danger

#### **Hazard Statements**

Causes severe skin burns and eye damage



## **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

## <u>Precautionary Statements - Response</u>

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

Revision Date: 09-Jul-2015

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

## **Precautionary Statements - Storage**

Store locked up

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Harmful to aquatic life with long lasting effects

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	>61.1
N,N-DIMETHYLOCTYLAMINE-N-OXIDE	2605-78-9	<10
Didecyldimethylammonium chloride	7173-51-5	10.14
Alkyl dimethyl benzyl ammonium chloride (C12-16)	68424-85-1	6.76
Tetrasodium EDTA	64-02-8	<5
Ethyl Alcohol	64-17-5	<4
Sodium hydroxide	1310-73-2	<2

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

**First Aid Measures** 

General Advice Call a poison center or doctor immediately for treatment advice.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek

immediate medical attention/advice.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated

clothing. Wash contaminated clothing before reuse.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration.

**Ingestion** Have person sip a glass of water if able to swallow. Do not induce vomiting without medical

advice. Never give anything by mouth to an unconscious person.

\_\_\_\_

#### Most important symptoms and effects

**Symptoms** Contact may cause irritation and redness. Direct eye contact may cause stinging, tearing

and redness. May cause redness, pain, and severe skin burns. May cause irritation to the mucous membranes and upper respiratory tract. Ingestion may cause nausea and

Revision Date: 09-Jul-2015

headache.

#### Indication of any immediate medical attention and special treatment needed

**Notes to Physician**Treat symptomatically. If the product is ingested, probable mucosal damage may

contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory

depression, and convulsions may be needed.

## 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Water spray (fog). Dry powder. Foam.

Unsuitable Extinguishing Media Not determined.

#### **Specific Hazards Arising from the Chemical**

Toxic fumes may be given off when material is exposed to fire.

Hazardous Combustion Products Carbon oxides. Nitrogen oxides (NOx). Hydrogen chloride.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Use personal protective equipment as required.

**Environmental Precautions** Collect spillage.

## Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow

floor to dry before allowing traffic.

# 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on Safe Handling Keep out of the reach of children. Use personal protection recommended in Section 8. Do

not breathe dust/fume/gas/mist/vapors/spray. Avoid release to the environment.

# Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store at room

temperature. Keep container closed when not in use. Do not contaminate water, food, or

feed by storage or disposal.

Packaging Materials Rinse container before discarding.

**Incompatible Materials**Chlorine bleach. Anionic detergents. Strong oxidizing agents. Strong reducing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Revision Date: 09-Jul-2015

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>

### **Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

## Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Splash goggles or safety glasses.

Skin and Body Protection Rubber gloves. Normal work clothing (long sleeved shirts and long pants) is recommended.

**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands

thoroughly after handling. Wash contaminated clothing before reuse.

Tag Closed Cup

(Water = 1)

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical State Liquid

Appearance Clear green liquid Odor Clean and fresh fragrance

Color Green Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**pH**  $7.6 \pm 0.2 \text{ (conc)}$ 

 $7.0 \pm 0.2$  (1:256 dilution)

Melting Point/Freezing Point Not determined

Boiling Point/Boiling Range 100 °C / 212 °F

Flash Point ~ 93.3 °C / ~ 200 °F Evaporation Rate 1.0

Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure
Vapor Density

n/a-liquid
Not applicable
Not applicable
Not determined
Not determined

Specific Gravity 1.00 Water Solubility Infinite

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined Kinematic Viscosity Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Revision Date: 09-Jul-2015

Reactivity

Not reactive under normal conditions.

**Chemical Stability** 

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions** 

None under normal processing.

**Hazardous Polymerization** 

Hazardous polymerization does not occur.

**Conditions to Avoid** 

Keep out of reach of children.

**Incompatible Materials** 

Chlorine bleach. Anionic detergents. Strong oxidizing agents. Strong reducing agents.

**Hazardous Decomposition Products** 

Thermal decomposition can lead to release of irritating gases or vapors.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** 

**Eye Contact** Causes severe eye damage.

**Skin Contact** Causes severe skin burns.

**Inhalation** Avoid breathing vapors or mists.

**Ingestion** May be harmful if swallowed.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Didecyldimethylammonium chloride 7173-51-5	= 84 mg/kg (Rat)	-	-
Alkyl dimethyl benzyl ammonium chloride (C12-16) 68424-85-1	= 426 mg/kg ( Rat )	-	-
Tetrasodium EDTA 64-02-8	= 1658 mg/kg (Rat) = 10 g/kg ( Rat)	-	-
Ethyl Alcohol 64-17-5	= 7060 mg/kg ( Rat )	-	= 124.7 mg/L (Rat) 4 h
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg ( Rabbit )	-

#### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

an alcoholic beverage.

**Chemical Name ACGIH** NTP **OSHA** IARC Ethyl Alcohol А3 Group 1 Known 64-17-5

Revision Date: 09-Jul-2015

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)
Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

## **Numerical measures of toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Tetrasodium EDTA	1.01: 72 h Desmodesmus	41: 96 h Lepomis		610: 24 h Daphnia magna
64-02-8	subspicatus mg/L EC50	macrochirus mg/L LC50		mg/L EC50
		static 59.8: 96 h Pimephales		_
		promelas mg/L LC50 static		
Ethyl Alcohol		12.0 - 16.0: 96 h		9268 - 14221: 48 h Daphnia
64-17-5		Oncorhynchus mykiss mL/L		magna mg/L LC50 2: 48 h
		LC50 static 13400 - 15100:		Daphnia magna mg/L EC50
		96 h Pimephales promelas		Static 10800: 24 h Daphnia
		mg/L LC50 flow-through 100:		magna mg/L EC50
		96 h Pimephales promelas		
		mg/L LC50 static		
Sodium hydroxide		45.4: 96 h Oncorhynchus		
1310-73-2		mykiss mg/L LC50 static		

## Persistence/Degradability

Not determined.

## Bioaccumulation

Not determined.

#### **Mobility**

Chemical Name	Partition Coefficient
Ethyl Alcohol	-0.32
64-17-5	

## **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

# **Waste Treatment Methods**

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and

regulations.

\_\_\_\_

Revision Date: 09-Jul-2015

## California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status	
Ethyl Alcohol	Toxic	
64-17-5	Ignitable	
Sodium hydroxide	Toxic	
1310-73-2	Corrosive	

## 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (Dimethyl benzyl ammonium chloride, Sodium hydroxide)

Hazard Class 8
Packing Group III

<u>IATA</u>

UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (Dimethyl benzyl ammonium chloride, Sodium hydroxide)

Hazard Class 8
Packing Group III

**IMDG** 

**UN/ID No** UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (Dimethyl benzyl ammonium chloride, Sodium hydroxide)

Hazard Class 8
Packing Group III

Marine Pollutant This material may meet the definition of a marine pollutant

## 15. REGULATORY INFORMATION

## **International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Water	Present	Х		Present			Х	Present	Х	Х
N,N- DIMETHYLOCTYLAMINE-N- OXIDE	Present	Х				Present	Х		Х	
Didecyldimethylammonium chloride	Present	Х		Present		Present	Х	Present	Х	Х
Alkyl dimethyl benzyl ammonium chloride (C12-16)	Present	Х		Present		Present	Х	Present	Х	Х
Tetrasodium EDTA	Present	Х		Present		Present	Х	Present	Х	Х
Ethyl Alcohol	Present	Х		Present		Present	Х	Present	Х	Х
Sodium hydroxide	Present	Х		Present		Present	X	Present	X	X

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Revision Date: 09-Jul-2015

## **US Federal Regulations**

## **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

## SARA 311/312 Hazard Categories

**Acute Health Hazard** 

Yes

#### **SARA 313**

Not determined

## **CWA (Clean Water Act)**

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1000 lb			X

### **US State Regulations**

## **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Ethyl Alcohol - 64-17-5	4-17-5 Carcinogen	
	Developmental	

U.S. State Right-to-Know Regulations

Sie etate right to raiew regulatione							
Chemical Name	New Jersey	Massachusetts	Pennsylvania				
Ethyl Alcohol 64-17-5	X	X	X				
Sodium hydroxide 1310-73-2	X	X	X				

# **16. OTHER INFORMATION**

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards310Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal ProtectionNot determinedNot determinedNot determinedNot determined

Issue Date:27-Dec-2011Revision Date:09-Jul-2015Revision Note:New format

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**