

# **SAFETY DATA SHEET**

Creation Date 24-Jul-2007 Revision Date 23-Jan-2018 **Revision Number 4** 

1. Identification

**Product Name** n-Butyric acid

Cat No.: AC108110000; AC108110010; AC108110025; AC108110050;

AC108111000; AC108110100

CAS-No 107-92-6

Butyric Acid.; n-Butanoic Acid, Ethylacetic Acid **Synonyms** 

**Recommended Use** Laboratory chemicals.

Not for food, drug, pesticide or biocidal product use Uses advised against

Details of the supplier of the safety data sheet

Company

Acros Organics Fisher Scientific One Reagent Lane One Reagent Lane Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

**Emergency Telephone Number** 

For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

# 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 4 Acute oral toxicity Category 4 Skin Corrosion/irritation Category 1 B Serious Eye Damage/Eye Irritation Category 1 Specific target organ toxicity (single exposure) Category 3

Target Organs - Respiratory system.

#### **Label Elements**

# Signal Word

Danger

#### **Hazard Statements**

Combustible liquid Harmful if swallowed Causes severe skin burns and eye damage May cause respiratory irritation



## **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eve protection/face protection

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep cool

#### Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

# Ingestion

Rinse mouth

Do NOT induce vomiting

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

# **Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Butyric acid	107-92-6	>95

# 4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact** Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if

victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket

Revision Date 23-Jan-2018 n-Butyric acid

mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

Do not induce vomiting. Clean mouth with water. Never give anything by mouth to an Ingestion

unconscious person. Čall a physician immediately.

Most important symptoms and

effects

. Breathing difficulties. Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric layage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe

damage to the delicate tissue and danger of perforation

Treat symptomatically Notes to Physician

# 5. Fire-fighting measures

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Cool closed containers exposed to fire **Suitable Extinguishing Media** 

with water spray.

**Unsuitable Extinguishing Media** No information available

69 °C / 156.2 °F **Flash Point** 

Method -No information available

425 °C / 797 °F **Autoignition Temperature** 

**Explosion Limits** 

Upper 10.00% Lower 2.00% **Oxidizing Properties** Not applicable

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated.

#### **Hazardous Combustion Products**

Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>) Thermal decomposition can lead to release of irritating gases and vapors **Protective Equipment and Precautions for Firefighters** 

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
3	2	0	N/A

#### Accidental release measures

Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to **Personal Precautions** 

safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition.

Take precautionary measures against static discharges.

**Environmental Precautions** Should not be released into the environment. Do not flush into surface water or sanitary

sewer system. See Section 12 for additional ecological information.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Up

# Handling and storage

Wear personal protective equipment. Use only under a chemical fume hood. Do not breathe Handling

vapors or spray mist. Do not get in eyes, on skin, or on clothing. Do not ingest. Keep away

from open flames, hot surfaces and sources of ignition.

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

Keep away from heat and sources of ignition.

# 8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

**Eye/face Protection** Tightly fitting safety goggles. Face-shield.

**Skin and body protection** Long sleeved clothing.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdorStench

Odor Threshold

No information available

pH 2 @ 25°C 50% in water

Melting Point/Range -7 - -5 °C / 19.4 - 23 °F

**Boiling Point/Range** 162 - 165 °C / 323.6 - 329 °F @ 760 mmHg

**Flash Point** 69 °C / 156.2 °F **Evaporation Rate** No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

**Upper** 10.00% **Lower** 2.00%

Vapor Pressure 1 hPa @ 20 °C

Vapor Density No information available

Specific Gravity 0.960

Solubility
Miscible with water
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity
Miscible with water
No data available
425 °C / 797 °F
No information available
1.6 mPas @ 20 °C

Molecular FormulaC4 H8 O2Molecular Weight88.11

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Revision Date 23-Jan-2018 n-Butyric acid

**Conditions to Avoid** Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

**Incompatible Materials** Strong oxidizing agents, Bases, Amines

Hazardous Decomposition Products Carbon monoxide (CO<sub>2</sub>), Carbon dioxide (CO<sub>2</sub>), Thermal decomposition can lead to release

of irritating gases and vapors

Hazardous polymerization does not occur. **Hazardous Polymerization** 

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

#### **Acute Toxicity**

### **Product Information Component Information**

Component LD50 Oral **LD50 Dermal** LC50 Inhalation 6096 mg/kg (Rabbit) Butyric acid 1632 mg/kg (Rat) Not listed

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Causes burns by all exposure routes Irritation

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

	Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
ı	Butyric acid	107-92-6	Not listed				

**Mutagenic Effects** No information available

Reproductive Effects No information available.

**Developmental Effects** No information available.

No information available. **Teratogenicity** 

STOT - single exposure Respiratory system STOT - repeated exposure None known

**Aspiration hazard** No information available

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** See actual entry in RTECS for complete information.

# 12. Ecological information

### **Ecotoxicity**

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component Fr	eshwater Algae	Freshwater Fish	Microtox	Water Flea
--------------	----------------	-----------------	----------	------------

Butyric acid	EC50: = 46.7 mg/L, 72h	LC50: = 200 mg/L, 24h	= 10.1 mg/L EC50	EC50: = 61.7 mg/L, 24h
	(Desmodesmus	(Lepomis macrochirus)	Photobacterium	(Daphnia magna)
	subspicatus)		phosphoreum 15 min	
			= 16.9 mg/L EC50	
			Photobacterium	
			phosphoreum 15 min	
			= 16.9 mg/L EC50	
			Photobacterium	
			phosphoreum 5 min	
			= 17.2 mg/L EC50	
			Photobacterium	
			phosphoreum 25 min	

Persistence and Degradability

Miscible with water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** 

No information available.

**Mobility** 

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Butyric acid	1.1

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN-No UN2820

Proper Shipping Name BUTYRIC ACID

Hazard Class 8
Packing Group

**TDG** 

UN-No UN2820

Proper Shipping Name BUTYRIC ACID

Hazard Class 8
Packing Group III

<u>IATA</u>

UN-No UN2820

Proper Shipping Name BUTYRIC ACID

Hazard Class 8
Packing Group |||

IMDG/IMO

UN-No UN2820

Proper Shipping Name BUTYRIC ACID

Hazard Class 8
Packing Group |||

# 15. Regulatory information

All of the components in the product are on the following Inventory lists: Australia Complete Regulatory Information contained in following SDS's X = listed China Canada The product is classified and labeled according to EC directives or corresponding national laws The product is classified and labeled in accordance with Directive 1999/45/EC Europe TSCA Korea Philippines Japan U.S.A. (TSCA) Canada (DSL/NDSL) Europe (EINECS/ELINCS/NLP) Australia (AICS) Korea (ECL) China (IECSC) Japan (ENCS) Philippines (PICCS)

#### International Inventories

Component	TSCA	DSL	NDSL	<b>EINECS</b>	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Butyric acid	Χ	Χ	-	203-532-3	-		Χ	Χ	Χ	Χ	Χ

Legend:

#### X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

### U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

**CWA (Clean Water Act)** 

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Butyric acid	X	5000 lb	-	-

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration

Not applicable

CERCLA This material, as supplied, contains one or more substances regulated as a hazardous

substance under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302)

Butyric acid 5000 lb -	Component	Hazardous Substances RQs	CERCLA EHS RQs
	Butyric acid	5000 lb	-

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals

# U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Butyric acid	X	X	X	-	X

### **U.S. Department of Transportation**

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

## **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade Moderate risk, Grade 2

16. Other information		16. Other information	
-----------------------	--	-----------------------	--

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 24-Jul-2007

 Revision Date
 23-Jan-2018

 Print Date
 23-Jan-2018

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**