



# SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

## 1. Identification

**Product identifier:** CHEWING GUM REMOVER

**Other means of identification**

**SDS number:** RE1000001259

**Recommended restrictions**

**Recommended use:** Coating.

**Restrictions on use:** Not known.

**Manufacturer/Importer/Distributor Information**

**Company Name:** CLAIRE MANUFACTURING COMPANY  
**Address:** 1000 Integram Dr  
Pacific, MO 63069  
US  
**Telephone:** 1-630-543-7600

**Emergency telephone number:** 1-866-836-8855

## 2. Hazard(s) identification

**Hazard Classification**

**Physical Hazards**

Flammable aerosol Category 1

**Label Elements**

**Hazard Symbol:**



**Signal Word:** Danger

**Hazard Statement:** Extremely flammable aerosol.

**Precautionary Statements**

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

**Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

**Hazard(s) not otherwise classified (HNOC):** None.



### 3. Composition/information on ingredients

#### Mixtures

| Chemical Identity | CAS number | Content in percent (%)* |
|-------------------|------------|-------------------------|
| Butane            | 106-97-8   | 50 - <100%              |
| Propane           | 74-98-6    | 20 - <50%               |
| Ethanol           | 64-17-5    | 5 - <10%                |

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

### 4. First-aid measures

#### Description of necessary first-aid measures

|  |  |
|--|--|
| <b>Inhalation:</b>                                   | Move to fresh air.   |
| <b>Skin Contact:</b>                                 | Remove contaminated clothing and wash the skin thoroughly with soap and water after work.  |
| <b>Eye contact:</b>                                  | Rinse immediately with plenty of water.  |
| <b>Ingestion:</b>                                    | Rinse mouth thoroughly.  |
| <b>Personal Protection for First-aid Responders:</b> | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. |

#### Most important symptoms/effects, acute and delayed

|                  |                    |
|------------------|--------------------|
| <b>Symptoms:</b> | No data available. |
| <b>Hazards:</b>  | No data available. |

#### Indication of immediate medical attention and special treatment needed

|                   |  |
|-------------------|--|
| <b>Treatment:</b> | Get medical attention if symptoms occur. |
|-------------------|--|

### 5. Fire-fighting measures

|                              |   |
|------------------------------|---|
| <b>General Fire Hazards:</b> | Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk. |
|------------------------------|---|

#### Suitable (and unsuitable) extinguishing media

|  |  |
|--|--|
| <b>Suitable extinguishing media:</b>   | Use fire-extinguishing media appropriate for surrounding materials.    |
| <b>Unsuitable extinguishing media:</b> | Do not use water jet as an extinguisher, as this will spread the fire. |

|  |   |
|--|---|
| <b>Specific hazards arising from the chemical:</b> | Vapors may travel considerable distance to a source of ignition and flash back. |
|--|---|



## Special protective equipment and precautions for firefighters

|  |  |
|--|--|
| <b>Special fire fighting procedures:</b>               | No data available.   |
| <b>Special protective equipment for fire-fighters:</b> | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. |

## 6. Accidental release measures

|   |   |
|---|---|
| <b>Personal precautions, protective equipment and emergency procedures:</b> | Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.   |
| <b>Accidental release measures:</b>   | ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.   |
| <b>Methods and material for containment and cleaning up:</b>                | Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.  |
| <b>Environmental Precautions:</b>   | Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages. |

## 7. Handling and storage

### Handling

|   |  |
|---|--|
| <b>Technical measures (e.g. Local and general ventilation):</b> | No data available.   |
| <b>Safe handling advice:</b>                                    | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. |
| <b>Contact avoidance measures:</b>                              | No data available.   |

### Storage

|                                  |   |
|----------------------------------|---|
| <b>Safe storage conditions:</b>  | Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 3 |
| <b>Safe packaging materials:</b> | No data available.  |
| <b>Storage Temperature:</b>      | No data available.  |

## 8. Exposure controls/personal protection

### Control Parameters

#### Occupational Exposure Limits

| Chemical Identity | Type | Exposure Limit Values | Source  |
|-------------------|------|-----------------------|---|
| Butane            | REL  | 800 ppm 1,900 mg/m3   | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |
|                   | STEL | 1,000 ppm             | US. ACGIH Threshold Limit Values, as amended            |
|                   | TWA  | 800 ppm 1,900 mg/m3   | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended     |
| Propane           | REL  | 1,000 ppm 1,800 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |



|                                 |      |           |             |   |
|---------------------------------|------|-----------|-------------|---|
|                                 | PEL  | 1,000 ppm | 1,800 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended |
|                                 | TWA  | 1,000 ppm | 1,800 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended                           |
| Ethanol                         | REL  | 1,000 ppm | 1,900 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended                       |
|                                 | PEL  | 1,000 ppm | 1,900 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended |
|                                 | TWA  | 1,000 ppm | 1,900 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended                           |
|                                 | STEL | 1,000 ppm |             | US. ACGIH Threshold Limit Values, as amended                                  |
| 2-Propanol, 2-methyl-           | PEL  | 100 ppm   | 300 mg/m3   | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended |
|                                 | TWA  | 100 ppm   |             | US. ACGIH Threshold Limit Values, as amended                                  |
|                                 | STEL | 150 ppm   | 450 mg/m3   | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended                           |
|                                 | REL  | 100 ppm   | 300 mg/m3   | US. NIOSH: Pocket Guide to Chemical Hazards, as amended                       |
|                                 | STEL | 150 ppm   | 450 mg/m3   | US. NIOSH: Pocket Guide to Chemical Hazards, as amended                       |
|                                 | TWA  | 100 ppm   | 300 mg/m3   | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended                           |
| Acetic acid, pentyl ester       | REL  | 100 ppm   | 525 mg/m3   | US. NIOSH: Pocket Guide to Chemical Hazards, as amended                       |
|                                 | TWA  | 50 ppm    |             | US. ACGIH Threshold Limit Values, as amended                                  |
|                                 | STEL | 100 ppm   |             | US. ACGIH Threshold Limit Values, as amended                                  |
|                                 | PEL  | 100 ppm   | 525 mg/m3   | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended |
|                                 | TWA  | 100 ppm   | 525 mg/m3   | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended                           |
| Acetic acid, phenylmethyl ester | TWA  | 10 ppm    |             | US. ACGIH Threshold Limit Values, as amended                                  |

**Appropriate Engineering Controls** No data available.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection:** Wear goggles/face shield.

**Skin Protection**

**Hand Protection:** No data available.

**Skin and Body Protection:** No data available.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

**Hygiene measures:** When using do not smoke. Observe good industrial hygiene practices.

**9. Physical and chemical properties**

**Appearance**

**Physical state:** liquid

**Form:** Spray Aerosol

**Color:** No data available.

**Odor:** No data available.

**Odor Threshold:** No data available.

**pH:** No data available.

**Freezing point:** No data available.

**Boiling Point:** No data available.

**Flash Point:** -104 °C

**Evaporation Rate:** No data available.

**Flammability (solid, gas):** No data available.

**Explosive limit - upper (%):** Estimated 9.5 %(V)

**Explosive limit - lower (%):** Estimated 1.9 %(V)

**Vapor pressure:** 4,136 - 5,515 hPa (20 °C)

8,618 - 9,997 hPa (54 °C)

**Vapor density (air=1):** No data available.



|  |                    |
|--|--------------------|
| Density:                                 | No data available. |
| Relative density:                        | No data available. |
| Solubility in Water:                     | No data available. |
| Solubility (other):                      | No data available. |
| Partition coefficient (n-octanol/water): | No data available. |
| Self Ignition Temperature:               | No data available. |
| Decomposition Temperature:               | No data available. |
| Kinematic viscosity:                     | No data available. |
| Dynamic viscosity:                       | No data available. |
| Explosive properties:                    | No data available. |
| Oxidizing properties:                    | No data available. |

## 10. Stability and reactivity

|                                     |   |
|-------------------------------------|---|
| Reactivity:                         | No data available.                          |
| Chemical Stability:                 | Material is stable under normal conditions. |
| Possibility of hazardous reactions: | No data available.                          |
| Conditions to avoid:                | Avoid heat or contamination.                |
| Incompatible Materials:             | No data available.                          |
| Hazardous Decomposition Products:   | No data available.                          |

## 11. Toxicological information

### Information on likely routes of exposure

|               |                    |
|---------------|--------------------|
| Inhalation:   | No data available. |
| Skin Contact: | No data available. |
| Eye contact:  | No data available. |
| Ingestion:    | No data available. |

### Symptoms related to the physical, chemical and toxicological characteristics

|               |                    |
|---------------|--------------------|
| Inhalation:   | No data available. |
| Skin Contact: | No data available. |
| Eye contact:  | No data available. |
| Ingestion:    | No data available. |

### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

|               |  |
|---------------|--|
| Oral Product: | Not classified for acute toxicity based on available data. |
|---------------|--|



**Dermal**

**Product:** Not classified for acute toxicity based on available data.

**Inhalation**

**Product:** Not classified for acute toxicity based on available data.

**Repeated dose toxicity**

**Product:** No data available.

**Components:**

|         |   |
|---------|---|
| Butane  | LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation<br>Experimental result, Key study<br>NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation<br>Experimental result, Key study |
| Propane | NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation<br>Experimental result, Key study<br>LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation<br>Experimental result, Key study |
| Ethanol | NOAEL (Rat(Male), Oral, 7 - 14 Weeks): 10 %(m) Oral Experimental result,<br>Key study   |

**Skin Corrosion/Irritation**

**Product:** No data available.

**Components:**

Ethanol in vivo (Rabbit): Not irritant

**Serious Eye Damage/Eye Irritation**

**Product:** No data available.

**Components:**

Ethanol Rabbit, 1 - 24 hrs: Not irritating

**Respiratory or Skin Sensitization**

**Product:** No data available.

**Components:**

Ethanol Skin sensitization:, in vivo (Guinea pig): Non sensitising

**Carcinogenicity**

**Product:** No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:**

No carcinogenic components identified

**Germ Cell Mutagenicity**

**In vitro**

**Product:** No data available.

**In vivo**

**Product:** No data available.



**Reproductive toxicity**

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.

**Aspiration Hazard**

**Product:** No data available.

**Other effects:** No data available.

## 12. Ecological information

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Components:**

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Ethanol LC 50 (Pimephales promelas, 96 h): 15.3 g/l Experimental result, Key study

**Aquatic Invertebrates**

**Product:** No data available.

**Components:**

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

Ethanol LC 50 (Ceriodaphnia dubia, 48 h): 5,012 mg/l Experimental result, Key study

**Chronic hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Components:**

Ethanol NOAEL (Oryzias latipes): 7,900 mg/l Read-across from supporting substance (structural analogue or surrogate), Supporting study

**Aquatic Invertebrates**

**Product:** No data available.

**Components:**

Ethanol LC 50 (Daphnia magna): 454 mg/l Experimental result, Key study  
NOAEL (Daphnia magna): 9.6 mg/l Experimental result, Key study

**Toxicity to Aquatic Plants**

**Product:** No data available.



## Persistence and Degradability

### Biodegradation

**Product:** No data available.

### Components:

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study  
50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Ethanol 95 % Detected in water. Experimental result, Key study

### BOD/COD Ratio

**Product:** No data available.

## Bioaccumulative potential

### Bioconcentration Factor (BCF)

**Product:** No data available.

### Components:

Ethanol Cyprinus carpio, Bioconcentration Factor (BCF): 4.5 Aquatic sediment Read-across from supporting substance (structural analogue or surrogate), Supporting study

## Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

**Mobility in soil:** No data available.

### Components:

Butane No data available.

Propane No data available.

Ethanol No data available.

**Other adverse effects:** No data available.

## 13. Disposal considerations

**Disposal instructions:** Wash before disposal. Dispose to controlled facilities.

**Contaminated Packaging:** No data available.

## 14. Transport information

### DOT

UN Number: UN 1950  
UN Proper Shipping Name: Aerosols, flammable  
Transport Hazard Class(es)  
Class: 2.1  
Label(s): —  
EmS No.: —  
Packing Group: —  
Special precautions for user: None known.





#### IATA

|                               |                     |
|-------------------------------|---------------------|
| UN Number:                    | UN 1950             |
| UN Proper Shipping Name:      | Aerosols, flammable |
| Transport Hazard Class(es):   |                     |
| Class:                        | 2.1                 |
| Label(s):                     | —                   |
| Packing Group:                | —                   |
| Special precautions for user: | None known.         |
| Other information             |                     |
| Passenger and cargo aircraft: | Allowed. 203        |
| Cargo aircraft only:          | Allowed. 203        |

#### IMDG

|                               |                     |
|-------------------------------|---------------------|
| UN Number:                    | UN 1950             |
| UN Proper Shipping Name:      | Aerosols, flammable |
| Transport Hazard Class(es)    |                     |
| Class:                        | 2.1                 |
| Label(s):                     | —                   |
| EmS No.:                      | F-D, S-U            |
| Packing Group:                | —                   |
| Special precautions for user: | None known.         |

The classification shown in this section may be eligible for use of an exception, such as "Limited Quantity", per the dangerous goods regulations. The shipper of this product should consult the applicable mode's regulation for the UN number displayed above to determine if any exceptions are available and may be utilized, at the shipper's discretion.

### 15. Regulatory information

#### US Federal Regulations

**Restrictions on use:** Not known.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

**US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)**

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended**  
None present or none present in regulated quantities.

#### CERCLA Hazardous Substance List (40 CFR 302.4):

##### Chemical Identity

UNLISTED HAZARDOUS WASTES CHARACTERISTIC OF IGNITABILITY  
RCRA HAZARDOUS WASTE NO. D001  
AMYL ACETATE

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

##### **Hazard categories**

Flammable (gases, aerosols, liquids, or solids)

**US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances**

None present or none present in regulated quantities.



**US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required**

None present or none present in regulated quantities.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

**US State Regulations**

**US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

**US. New Jersey Worker and Community Right-to-Know Act  
Chemical Identity**

Butane  
Propane  
Ethanol

**US. Massachusetts RTK - Substance List**

No ingredient regulated by MA Right-to-Know Law present.

**US. Pennsylvania RTK - Hazardous Substances  
Chemical Identity**

Butane  
Propane  
Ethanol

**US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

**International regulations**

**Montreal protocol**

Not applicable

**Stockholm convention**

Not applicable

**Rotterdam convention**

Not applicable

**Kyoto protocol**

Not applicable

**Inventory Status:**

|   |  |
|---|--|
| Australia AICS                          | On or in compliance with the inventory |
| Canada DSL Inventory List               | On or in compliance with the inventory |
| Canada NDSL Inventory                   | Not in compliance with the inventory.  |
| Ontario Inventory                       | On or in compliance with the inventory |
| China Inv. Existing Chemical Substances | On or in compliance with the inventory |
| Japan (ENCS) List                       | On or in compliance with the inventory |
| Japan ISHL Listing                      | Not in compliance with the inventory.  |
| Japan Pharmacopoeia Listing             | Not in compliance with the inventory.  |
| Korea Existing Chemicals Inv. (KECI)    | On or in compliance with the inventory |
| Mexico INSQ                             | On or in compliance with the inventory |
| New Zealand Inventory of Chemicals      | On or in compliance with the inventory |
| Philippines PICCS                       | On or in compliance with the inventory |
| Taiwan Chemical Substance Inventory     | On or in compliance with the inventory |
| US TSCA Inventory                       | On or in compliance with the inventory |
| EINECS, ELINCS or NLP                   | Not in compliance with the inventory.  |

**16. Other information, including date of preparation or last revision**

**Issue Date:** 10/20/2021

**Revision Information:** No data available.

**Version #:** 1.0

**Further Information:** No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.