# **Bromocresol Green solution**

# 00000021066

Version 1.0

Revision Date 01/18/2017

<b>1. PRODUCT AND COMPANY</b>	IDE	ENTIFICATION
Product name	:	Bromocresol Green solution
Number	:	00000021066
Manufacturer or supplier's	:	Honeywell International Inc.
details		115 Tabor Road
		Morris Plains, NJ 07950-2546
For more information call	:	1-800-368-0050
		+1-231-726-3171
		1-800-368-0050
		+1-231-726-3171
		(Monday-Friday, 9:00am-5:00pm)
In case of emergency call	:	Medical: 1-800-498-5701 or +1-303-389-1414
	:	Transportation (CHEMTREC): 1-800-424-9300 or +1-703-
		527-3887
	:	(24 hours/day, 7 days/week)

# 2. HAZARDSIDENTIFICATION

# 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Flammable liquids (Category 2), H225 Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s) H225 H319 H336	Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary statement(s)	
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312	IF INHALED: Remove victim to fresh air and keep at rest in a position
	comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Mixtures

Formula	:	C <sub>21</sub> H <sub>14</sub> Br <sub>4</sub> O <sub>5</sub> S
Molecular weight	:	698.01 g/mol

# Hazardous components

Component		Classification	Concentration
2-Propanol			
CAS-No.	67-63-0	Flam. Liq. 2; Eye Irrit. 2A;	>= 90 - <= 100
EC-No.	200-661-7	STOT SE 3; H225, H319,	%
Index-No.	603-117-00-0	H336	

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

#### 4.1 Description of first aid

#### measures General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

# If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# **4.3 Indication of any immediate medical attention and special treatment needed** No data available

# **5. FIREFIGHTING MEASURES**

- 5.1 Extinguishing media Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- 5.2 Special hazards arising from the substance or mixture No data available
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

# 5.4 Further information

Use water spray to cool unopened containers.

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): Flammable liquids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

# Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
2-Propanol	67-63-0	TWA	200.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	impairment Tract irritati Substances Indices (se	vous System Upper Respirator on Eye irritation s for which there is BEI® section) able as a human ca	a Biological Exposure Index or
		TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)
		impairment Tract irritati Substances Indices (se	rvous System Upper Respirator on Eye irritation s for which there is e BEI® section) able as a human ca	a Biological Exposure Index or
		STEL	400 ppm	USA. ACGIH Threshold Limit Values (TLV)

Component	CAS-No.	Value	Control	Basis
			parameters	
		Central Ne	rvous System	
			t Upper Respirator	y
		Tract irritat	ion Eye irritation	
		Substance	s for which there is	a Biological Exposure Index or
			ee BEI® section)	
		Not classifi	able as a human ca	
		STEL	400.000000	USA. ACGIH Threshold Limit
			ppm	Values (TLV)
		Central Ne	rvous System	
			t Upper Respirator	v
			ion Eye irritation	
				a Biological Exposure Index or
			ee BEI® section)	0
		Not classifi	able as a human ca	arcinogen
		TWA	400.000000	USA. Occupational Exposure Limits
			ppm	(OSHA) - Table Z-1 Limits for Air
			980.000000	Contaminants
			mg/m3	
		The value	in mg/m3 is approx	
		TWA	400.000000	USA. NIOSH Recommended
			ppm	Exposure Limits
			980.000000	
			mg/m3	
		ST	500.000000	USA. NIOSH Recommended
			ppm	Exposure Limits
			1,225.000000	
			mg/m3	

# **Biological occupational exposure limits**

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
2-Propanol	67-63-0	Acetone	40.0000 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift at e	end of workv	veek	

# 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0.2 mm Break through time: 60 min Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Colour: green
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	-89.5 °C (-129.1 °F)
f)	Initial boiling point and boiling range	No data available
g)	Flash point	12 °C (54 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 12 %(V) Lower explosion limit: 2.5 %(V)
k)	Vapour pressure	59 hPa (44 mmHg) at 25 °C (77 °F)
I)	Vapour density	2.1
m)	Relative density	0.79 g/mL at 20 °C (68 °F)
n)	Water solubility	No data available
o)	Partition coefficient: n- octanol/water	No data available

p)	Auto-ignition	No data available
	temperature	

- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties No data available

# 9.2 Other safety information

Relative vapour density 2.1

# **10. STABILITY AND REACTIVITY**

# 10.1 Reactivity

No data available

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** Vapours may form explosive mixture with air.
- **10.4** Conditions to avoid Heat, flames and sparks.
- **10.5** Incompatible materials No data available

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides, Hydrogen bromide gas

Other decomposition products - No data available In the event of fire: see section 5

# **11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

# Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

No data available

#### Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

# Respiratory or skin sensitisation

Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

# Germ cell mutagenicity

No data available

# Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

- IARC: 3 Group 3: Not classifiable as to its carcinogenicity to humans (2-Propanol)
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

No data available No data available

#### Specific target organ toxicity - single exposure No data available

#### Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

# Additional Information

**RTECS:** Not available

Central nervous system depression, prolonged or repeated exposure can cause:, Nausea, Headache, Vomiting, narcosis, Drowsiness, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Kidney - Irregularities - Based on Human Evidence Kidney - Irregularities - Based on Human Evidence

# **12. ECOLOGICAL INFORMATION**

- 12.1 Toxicity No data available
- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available

#### 12.4 Mobility in soil No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### **12.6 Other adverse effects** No data available

# **13. DISPOSAL CONSIDERATIONS**

# 13.1 Waste treatment methods

# Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

# Contaminated packaging

Dispose of as unused product.

	IATION			
<b>DOT (US)</b> UN number: 1219 Proper shipping nam Reportable Quantity	Class: 3 ne: Isopropanol, solution (RQ):	Packing group: II		
Poison Inhalation Ha	azard: No			
<b>IMDG</b> UN number: 1219 Proper shipping nam	Class: 3 ne: ISOPROPANOL, SOLU		EMS-No: F-E, S-D	
<b>IATA</b> UN number: 1219 Proper shipping nam	Class: 3 ne: Isopropanol, solution	Packing group: II		
REGULATORYINFOR	MATION			
SARA 302 Compor				
	s material are subject to the	e reporting requirements of SARA	A LITIE III, Section 302.	
SARA 313 Compor	nents	rting levels established by SARA	Title III, Section 313:	
SARA 313 Compor The following compo	nents			
SARA 313 Compor The following compo 2-Propanol SARA 311/312 Haz	n <b>ents</b> onents are subject to repor	rting levels established by SARA CAS-No. 67-63-0	Title III, Section 313: Revision Date	
SARA 313 Compor The following compo 2-Propanol SARA 311/312 Haz Fire Hazard, Acute H	nents onents are subject to repor ards	rting levels established by SARA CAS-No. 67-63-0 ealth Hazard	Title III, Section 313: Revision Date 1987-01-01	
SARA 313 Compor The following compo 2-Propanol SARA 311/312 Haz Fire Hazard, Acute H	nents onents are subject to repor <b>ards</b> Health Hazard, Chronic He	rting levels established by SARA CAS-No. 67-63-0 ealth Hazard	Title III, Section 313: Revision Date	
SARA 313 Compor The following compo 2-Propanol SARA 311/312 Haz Fire Hazard, Acute H Massachusetts Rig 2-Propanol	nents onents are subject to repor <b>ards</b> Health Hazard, Chronic He	rting levels established by SARA CAS-No. 67-63-0 ealth Hazard s CAS-No. 67-63-0	Title III, Section 313: Revision Date 1987-01-01 Revision Date	
SARA 313 Compor The following compo 2-Propanol SARA 311/312 Haz Fire Hazard, Acute H Massachusetts Rig 2-Propanol	nents onents are subject to repor ards Health Hazard, Chronic He ght To Know Component	rting levels established by SARA CAS-No. 67-63-0 ealth Hazard s CAS-No. 67-63-0	Title III, Section 313: Revision Date 1987-01-01 Revision Date	
SARA 313 Compor The following compo 2-Propanol SARA 311/312 Haz Fire Hazard, Acute H Massachusetts Rig 2-Propanol Pennsylvania Righ 2-Propanol	nents onents are subject to repor cards Health Hazard, Chronic He ght To Know Component nt To Know Components	rting levels established by SARA CAS-No. 67-63-0 ealth Hazard ss CAS-No. 67-63-0 CAS-No.	Title III, Section 313: Revision Date 1987-01-01 Revision Date 1987-01-01 Revision Date	
SARA 313 Compor The following compo 2-Propanol SARA 311/312 Haz Fire Hazard, Acute H Massachusetts Rig 2-Propanol Pennsylvania Righ 2-Propanol New Jersey Right	nents onents are subject to repor ards Health Hazard, Chronic He ght To Know Component	rting levels established by SARA CAS-No. 67-63-0 ealth Hazard ss CAS-No. 67-63-0 CAS-No. 67-63-0 CAS-No.	Title III, Section 313: Revision Date 1987-01-01 Revision Date 1987-01-01 Revision Date 1987-01-01 Revision Date	
SARA 313 Compor The following compo 2-Propanol SARA 311/312 Haz Fire Hazard, Acute H Massachusetts Rig 2-Propanol Pennsylvania Righ 2-Propanol	nents onents are subject to repor aards Health Hazard, Chronic He ght To Know Components Int To Know Components	rting levels established by SARA CAS-No. 67-63-0 ealth Hazard ss CAS-No. 67-63-0 CAS-No. 67-63-0	Title III, Section 313: Revision Date 1987-01-01 Revision Date 1987-01-01 Revision Date 1987-01-01	

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **16. OTHER INFORMATION**

# Full text of H-Statements referred to under sections 2 and 3.

Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquids
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
STOT SE	Specific target organ toxicity - single exposure

# **HMIS** Rating

Health hazard:	2
Chronic Health Hazard:	*
Flammability:	3

Physical Hazard	0
NFPA Rating	
Health hazard:	2
Fire Hazard:	3
Reactivity Hazard:	0

# **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions. Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group