

# **SAFETY DATA SHEET**

Creation Date 07-May-2010 Revision Date 24-May-2017 Revision Number 2

1. Identification

Product Name Ethyl acetoacetate

Cat No.: E146-500

Synonyms EAA; Acetoacetic ester

Recommended Use Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

**Emergency Telephone Number** 

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

# 2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 4

Label Elements

Signal Word

Warning

**Hazard Statements** 

Combustible liquid

**Precautionary Statements** 

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking Wear protective gloves/protective clothing/eye protection/face protection

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep cool

**Disposal** 

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

Ethyl acetoacetate

# 3. Composition / information on ingredients

Component	CAS-No	Weight %		
Ethyl acetoacetate	141-97-9	99		

## 4. First-aid measures

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Obtain medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if

symptoms occur.

**Ingestion** Do not induce vomiting. Obtain medical attention.

Most important symptoms/effects Breathing difficulties. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

Suitable Extinguishing Media Water spray. Carbon dioxide (CO 2). Dry chemical. Use water spray to cool unopened

containers. Chemical foam. Cool closed containers exposed to fire with water spray.

Unsuitable Extinguishing Media No information available

Flash Point 70 °C / 158 °F

Method - No information available

Autoignition Temperature 280 °C / 536 °F

**Explosion Limits** 

Upper 9.5% @ 176.7°C
Lower 1.4% @ 93.3°C
Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

**Specific Hazards Arising from the Chemical** 

Combustible material. Containers may explode when heated.

**Hazardous Combustion Products** 

Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>)

**Protective Equipment and Precautions for Firefighters** 

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards110N/A

## 6. Accidental release measures

Personal Precautions Use personal protective equipment. Remove all sources of ignition. Take precautionary

Ethyl acetoacetate

measures against static discharges. Ensure adequate ventilation.

See Section 12 for additional ecological information. Should not be released into the **Environmental Precautions** 

environment.

Methods for Containment and Clean Remove all sources of ignition. Take precautionary measures against static discharges. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Keep in suitable, closed containers for disposal.

7. Handling and storage

Handling Do not get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist. Wear

personal protective equipment. Keep away from open flames, hot surfaces and sources of

ignition. Take precautionary measures against static discharges.

Storage Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away

from heat and sources of ignition. Flammables area.

8. Exposure controls / personal protection

This product does not contain any hazardous materials with occupational exposure **Exposure Guidelines** 

limitsestablished by the region specific regulatory bodies.

None under normal use conditions. Ensure adequate ventilation, especially in confined **Engineering Measures** 

areas.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

Physical and chemical properties

**Physical State** Liquid **Appearance** Colorless Odor sweet

**Odor Threshold** No information available

рΗ 4.0 110 g/l ag. sol Melting Point/Range -45 °C / -49 °F

180 °C / 356 °F @ 760 mmHg **Boiling Point/Range** 

70 °C / 158 °F **Flash Point Evaporation Rate** No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

9.5% @ 176.7°C Upper 1.4% @ 93.3°C Lower **Vapor Pressure** 1 hPa @ 20 °C 4.5 (Air = 1.0)**Vapor Density** 

**Specific Gravity** 1.030

Solubility 116 g/L (20°C) Partition coefficient; n-octanol/water No data available **Autoignition Temperature** 280 °C / 536 °F **Decomposition Temperature** No information available

#### Ethyl acetoacetate

**Viscosity** 1.696 mPa.s at 20 °C

**Molecular Formula** C6 H10 O3 **Molecular Weight** 130.14

## 10. Stability and reactivity

**Reactive Hazard** None known, based on information available

Stability Stable under normal conditions.

Keep away from open flames, hot surfaces and sources of ignition. Incompatible products. **Conditions to Avoid** 

**Incompatible Materials** Acids, Bases, Reducing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

**Hazardous Polymerization** Hazardous polymerization does not occur.

None under normal processing. **Hazardous Reactions** 

## 11. Toxicological information

#### **Acute Toxicity**

#### **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl acetoacetate	LD50 = 3980 mg/kg (Rat)	LD50 > 5000 mg/kg (Rabbit)	Not listed

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available Irritation

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Ethyl acetoacetate	141-97-9	Not listed				

**Mutagenic Effects** Not mutagenic in AMES Test

**Reproductive Effects** No information available. No information available. **Developmental Effects** No information available. **Teratogenicity** 

STOT - single exposure None known STOT - repeated exposure None known

**Aspiration hazard** No information available

delayed

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information.

Ethyl acetoacetate

## 12. Ecological information

#### **Ecotoxicity**

•

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethyl acetoacetate	EC50: > 500 mg/L, 72h (Desmodesmus subspicatus)	LC50: = 307 mg/L, 96h (Lepomis macrochirus) LC50: = 290 mg/L, 96h (Oncorhynchus mykiss) LC50: = 298 mg/L, 96h (Pimephales promelas)	Not listed	EC50: = 790 mg/L, 24h Static (Daphnia magna) EC50: = 646 mg/L, 48h (Daphnia magna)

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** 

No information available.

**Mobility** 

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow		
Ethyl acetoacetate	0.27		

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information						
Not regulated						
DOT TDG IATA	Not regulated					
<u>IATA</u>	Not regulated					
IMDG/IMO	Not regulated					

# 15. Regulatory information

#### International Inventories

Component	TSCA	DSL	NDSL	<b>EINECS</b>	ELINCS	NLP	PICCS	<b>ENCS</b>	AICS	IECSC	KECL
Ethyl acetoacetate	Χ	Χ	-	205-516-1	-		Χ	Χ	Χ	Χ	Χ

#### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

## U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

#### SARA 311/312 Hazard Categories

Acute Health HazardNoChronic Health HazardNoFire HazardYesSudden Release of Pressure HazardNoReactive HazardNo

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration

Not applicable

#### CERCLA

Not applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know

#### Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island	
Ethyl acetoacetate	X	-	X	-	-	

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

#### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

#### Other International Regulations

Mexico - Grade No information available

## 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 07-May-2010

 Revision Date
 24-May-2017

 Print Date
 24-May-2017

**Revision Summary** This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of SDS**