Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking

Product name: D76 Developer

Product code: 5160296

Synonyms: PCD 5239

Relevant identified uses of the substance or mixture and uses advised against:
Identified uses: photographic processing chemical (developer/activator). For industrial use only.

Supplier: Kodak Alaris Inc., 2400 Mount Read Boulevard, Rochester, NY 14615

IN EMERGENCY, telephone: 1-800-424-9300 or +1 703-527-3887.

For further information about this product, email EHS-Questions@Kodakalaris.com.

2. Hazards identification

Classification of the chemical in accordance with paragraph (d) of 29 CFR 1910.1200:

Hazard class	Hazard category	Route of exposure
Acute toxicity	Category 4	Oral
Acute toxicity	Category 4	Dermal
Serious eye damage/eye irritation	Category 2A	--
Skin sensitisation	Category 1	--
Specific target organ toxicity - repeated exposure	Category 2	--

GHS-Labelling

Contains:
Sodium sulphite (7757-83-7), Hydroquinone (123-31-9), Bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0)

Symbol(s):

Signal word: Warning

Hazard statements: Harmful if swallowed. Harmful in contact with skin. Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure. (Blood.)

Precautionary statements:

Prevention: Wear protective gloves/ protective clothing/ eye protection/ face protection. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product.

Response: Get medical advice/ attention if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

HMIS III Hazard Ratings: Health - 2*, Flammability - 0, Physical Hazard - 0

NFPA Hazard Ratings: Health - 3, Flammability - 0, Instability - 0

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

Weight percent	Components - (CAS-No.)

85 - 90	Sodium sulphite (7757-83-7)
1 - 5	Hydroquinone (123-31-9)
1 - 5	Bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0)
0.1 - < 1	Pentetic acid, pentasodium salt (140-01-2)
0.1 - < 1	Boric anhydride (1303-86-2)

4. First aid measures

Inhalation: If inhaled, remove to fresh air. Get medical attention.

Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.

Skin: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before re-use. Destroy or thoroughly clean contaminated shoes.

Ingestion: If swallowed, DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.

Most important symptoms and effects, both acute and delayed: No information available.

Indication of any immediate medical attention and special treatment needed:

Treatment: Absorption of this material into the body leads to the formation of methemoglobin that, in sufficient concentration, causes cyanosis. Since reversion of methemoglobin to hemoglobin occurs spontaneously after termination of exposure, moderate degrees of cyanosis need to be treated only by supportive measures such as bed rest and oxygen inhalation. Thorough cleansing of the entire contaminated area of the body, including scalp and nails, is of utmost importance. If cyanosis is severe, intravenous injection of methylene blue, one milligram per kilogram of body weight, may be of value.

5. Firefighting measures

Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special hazards arising from the substance or mixture
Hazardous Combustion Products: None (noncombustible), (see also Hazardous Decomposition Products sections.)

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

Unusual Fire and Explosion Hazards: None.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Refer to protective measures listed in sections 7 and 8.

Methods and materials for containment and cleaning up: Shovel into suitable container for disposal. Clean surface thoroughly to remove residual contamination.

Environmental precautions: No information available.

7. Handling and storage

Precautions for safe handling

Personal precautions: Do not breathe dust at concentrations greater than the exposure limits. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Use only with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: No special technical protective measures required.

Conditions for safe storage, including any incompatibilities: Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls

Chemical Name	Regulatory List	Value Type	Value
Hydroquinone	ACGIH	Time weighted average	1 mg/m3
Hydroquinone	OSHA	Time weighted average	2 mg/m3

Appropriate engineering controls: Use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. Controls should be sufficient so that applicable occupational exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

Eye protection: Wear eye/face protection.

Hand protection: Wear impervious gloves and protective clothing appropriate for the risk of exposure.

Respiratory protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: full-face cartridge respirator with acid gas cartridge and N95 filter.

A respirator should be worn if hazardous decomposition products are likely to be or have been released. Respirator type: acid gas See Stability and Reactivity Section. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

9. Physical and chemical properties

Physical form: solid (powder)

Colour: off-white

Odour: odourless

Specific gravity: No data available

Vapour pressure: negligible

Vapour density: Not applicable

Melting point/range: No data available

Water solubility: appreciable

pH: Not applicable

Flash point: Not applicable

Evaporation rate: No data available

Flammability (Solid; gas): No data available

Upper explosion limit: No data available

Lower explosion limit: No data available

Partition coefficient: n-octanol/water: No data available

Auto-ignition temperature: No data available

Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available

Oxidizing properties: No data available

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerisation does not occur.

Conditions to avoid: No data available

Incompatible materials: Acids. Contact with strong acids liberates sulphur dioxide.

Hazardous decomposition products: Sulphur oxides

11. Toxicological information

Effects of Exposure

General advice:

Contains: Hydroquinone. Suspected of causing cancer. Suspected of causing genetic defects.

Contains: Bis(4-hydroxy-N-methylanilinium) sulphate. Based on animal data, may cause adverse effects on the following organs/systems: blood, kidney, spleen. Based on animal data this material can produce methemoglobin which, in sufficient concentration, causes cyanosis, a blue-gray discoloration of the skin and lips caused by a reduced ability of the blood to carry oxygen.

Contains: Boric anhydride. Toxicity evaluation of this chemical is based, in part, on a structurally similar chemical. Based on repeated-dose ingestion studies in animals, may cause adverse reproductive and developmental effects. However, high doses to humans handling this material are not expected since oral consumption is not a likely route of significant exposure.

Inhalation: Expected to be a low hazard for recommended handling. In contact with strong acids or if heated, sulphites may liberate sulphur dioxide gas. Sulphur dioxide gas is irritating to the respiratory tract. Some asthmatics or hypersensitive individuals may experience difficult breathing.

Eyes: Causes serious eye irritation.

Skin: Harmful in contact with skin. May cause an allergic skin reaction.

Ingestion: Harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Data for Sodium sulphite (CAS 7757-83-7):

Acute Toxicity Data:
Oral LD50 (Rat): 820 mg/kg

- Inhalation LC50 (Rat): > 22 mg/l / 1 hr
- Skin irritation: none
- Eye irritation: slight; washing palliative

Data for Hydroquinone (CAS 123-31-9):

Acute Toxicity Data:
Oral LD50 (male Rat): 400 mg/kg

- Oral LD50 (male Mouse): 100 - 200 mg/kg
- Oral LD50 (Rat): 298 mg/kg
- Dermal LD50 (Guinea pig): > 1,000 mg/kg
- Dermal LD50 (Rabbit): 74,800 mg/kg
- Skin irritation: slight
- Skin Sensitization (Guinea pig): positive
- Eye irritation: moderate

Mutagenicity/Genotoxicity Data:

- Salmonella typhimurium assay (Ames test): negative (in presence and absence of activation)
- Chromosomal aberration assay: negative (in absence of activation)
- Chromosomal aberration assay: positive (in presence of activation)
- Sister chromatid exchange (SCE) assay: positive (in presence and absence of activation)

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

Repeated dose toxicity:

- Dermal (17-day, Rat): NOEL; 3800 mg/kg/day
- Dermal (17-day): Lowest observed effect level; 4800 mg/kg/day

Developmental Toxicity Data:

- Oral (female Rabbit): NOEL for developmental toxicity; 25mg/kg/day
- Oral (female Rat): NOAEL for developmental toxicity; mg/kg/day

Data for Bis(4-hydroxy-N-methylanilinium) sulphate (CAS 55-55-0):

Acute Toxicity Data:
Oral LD50 (Rat): 237 mg/kg

- Oral LD50 (Mouse): 565 mg/kg
- Dermal LD50 (Guinea pig): > 1,000 mg/kg (highest dose tested)
- Skin irritation: slight
- Skin irritation: slight to moderate (repeated skin application)
- Skin Sensitization: positive
- Eye irritation (unwashed eyes): moderate to strong
- Eye irritation (washed eyes): slight

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

Repeated dose toxicity:

- Oral (11 days): Lowest observed effect level; 1.0 % in diet (reduced feed intake, reduced body weight gain, target organ effects: red blood cell)
- Oral (11 days): NOEL; 0.1 % in diet

Data for Pentetic acid, pentasodium salt (CAS 140-01-2):

Acute Toxicity Data:
Oral LD50 (male Rat): 3,200 mg/kg

- Oral LD50 (female Rat): 2,263 mg/kg
- Skin irritation: irritating
- Skin Sensitization: none
- Eye irritation: Corrosive

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

Repeated dose toxicity:

- Oral (11 days, male Rat): NOEL; 100 mg/kg/day

Data for Boric anhydride (CAS 1303-86-2):

Acute Toxicity Data:

- Dermal LD50 (Rabbit): > 2,000 mg/kg
- Skin irritation: none
- Skin Sensitization: none
- Eye irritation: mild

Carcinogenicity

American Conference of Governmental Industrial Hygienists (ACGIH):	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans: Hydroquinone
International Agency for Research on Cancer (IARC):	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
California Prop. 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Toxicity to fish (LC50):	< 1 mg/l
Toxicity to daphnia (EC50):	1 - 10 mg/l
Toxicity to algae (IC50):	10 - 100 mg/l

Persistence and degradability: Readily biodegradable

Chemical Oxygen Demand (COD): ca. 260 g/l

Biochemical Oxygen Demand (BOD): ca. 205 g/l

Bioaccumulative potential

No data available

Mobility in soil

No information available.

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

The information below is provided to assist in documentation. It represents the dangerous goods classification before any regulatory exceptions are taken (e.g. "limited quantity") and therefore may not represent the final classification. The final classification as it pertains to the product packaging configuration (including labeling, marking, and exceptions) may be obtained via the Dangerous Goods Worksheet which can be found at www.kodak.com/go/ship.

IATA:	UN number:	UN3077
	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (hydroquinone)
	Class:	9
	Packaging group:	III
	Marine Pollutant status:	Marine pollutant
	Marine Pollutant(s):	hydroquinone
IMDG:	UN number:	UN3077
	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (hydroquinone)
	Class:	9
	Packaging group:	III
	Marine Pollutant status:	Marine pollutant
US DOT:	UN number:	UN3077
	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (hydroquinone)
	Class:	9
	Packaging group:	III
	Marine Pollutant status:	Marine pollutant
	Marine Pollutant(s):	hydroquinone

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Notification status

Regulatory List	Notification status
TSCA	All listed
DSL	All listed
NDSL	None listed
EINECS	All listed
ELINCS	None listed
NLP	None listed
AICS	All listed
IECS	All listed
ENCS	All listed
ECI	All listed
NZIoC	All listed
PICCS	All listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Other regulations

U.S. - CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):	Hydroquinone
U.S. - CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities):	Hydroquinone
U.S. - CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting):	Hydroquinone
U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances:	Hydroquinone
U.S. - California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens:	No components found on the California Specifically Regulated

	Carcinogens List.
U.S. - California - 8 CCR Section 5203 Carcinogens:	No components found on the California Section 5203 Carcinogens List.
U.S. - California - 8 CCR Section 5209 Carcinogens:	No components found on the California Section 5209 Carcinogens List.
U.S. - Massachusetts - General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law):	Hydroquinone
U.S. - Minnesota Employee Right-to-Know (5206.0400, Subpart 5. List of Hazardous Substances):	Hydroquinone
U.S. - New Jersey - Worker and Community Right to Know Act (N.J.S.A. 34:5A-1):	Hydroquinone
U.S. - Pennsylvania - Part XIII. Worker and Community Right-to-Know Act (Chapter 323 Hazardous Substance List, Appendix A):	Sodium sulphite , Hydroquinone , Water , Sodium hydroxide

16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

US/Canadian Label Statements:

D76 Developer

Contains:
Sodium sulphite (7757-83-7), Hydroquinone (123-31-9), Bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0)

Symbol(s):

Signal word: Warning

Hazard statements: Harmful if swallowed. Harmful in contact with skin. Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure. (Blood.)

Precautionary statements:

Prevention: Wear protective gloves/ protective clothing/ eye protection/ face protection. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product.

Response: Get medical advice/ attention if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

FIRST AID: If inhaled, remove to fresh air. Get medical attention. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before re-use. Destroy or thoroughly clean contaminated shoes. If swallowed, DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately. **Note to Physicians:** Absorption of this material into the body leads to the formation of methemoglobin that, in sufficient concentration, causes cyanosis. Since reversion of methemoglobin to hemoglobin occurs spontaneously after termination of exposure, moderate degrees of cyanosis need to be treated only by supportive measures such as bed rest and oxygen inhalation. Thorough cleansing of the entire contaminated area of the body, including scalp and nails, is of utmost importance. If cyanosis is severe, intravenous injection of methylene blue, one milligram per kilogram of body weight, may be of value. Keep out of reach of children. Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood. Since emptied containers retain product residue, follow label warnings even after container is emptied. **IN CASE OF FIRE:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. **IN CASE OF SPILL:** Shovel into suitable container for disposal. Clean surface thoroughly to remove residual contamination.

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-2, S-2, F-0, C-0

Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking

Product name: D76 Developer, Working Solution

Product code: 5160296 - Working Solution

Synonyms: None.

Relevant identified uses of the substance or mixture and uses advised against:
Identified uses: photographic processing chemical (developer/activator). For industrial use only.

Supplier: Kodak Alaris Inc., 2400 Mount Read Boulevard, Rochester, NY 14615

IN EMERGENCY, telephone: 1-800-424-9300 or +1 703-527-3887.

For further information about this product, email EHS-Questions@Kodakalaris.com.

2. Hazards identification

Classification of the chemical in accordance with paragraph (d) of 29 CFR 1910.1200:

Hazard class	Hazard category	Route of exposure
Skin sensitisation	Category 1	--
Carcinogenicity	Category 2	--
Reproductive toxicity	Category 1B	--
Acute aquatic toxicity	Category 2	--

GHS-Labelling

Contains:
Bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0), Hydroquinone (123-31-9), Sodium tetraborate (1330-43-4)

Symbol(s):

Signal word: Danger

Hazard statements: May cause an allergic skin reaction. Suspected of causing cancer. May damage fertility or the unborn child. Toxic to aquatic life.

Precautionary statements:

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ protective clothing/ eye protection/ face protection. Avoid release to the environment.

Response: IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Specific treatment (see supplemental first aid instructions on this label). Take off contaminated clothing and wash it before reuse. IF exposed or concerned: Get medical advice/ attention.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

HMIS III Hazard Ratings: Health - 2*, Flammability - 0, Physical Hazard - 0

NFPA Hazard Ratings: Health - 2, Flammability - 0, Instability - 0

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

Weight percent	Components - (CAS-No.)
5 - 10	Sodium sulphite (7757-83-7)
0.1 - < 1	Bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0)
0.1 - < 0.5	Hydroquinone (123-31-9)
0.1 - < 0.5	Sodium tetraborate (1330-43-4)

4. First aid measures

Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms occur.

Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.

Skin: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before re-use. Destroy or thoroughly clean contaminated shoes.

Ingestion: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed: No information available.

Indication of any immediate medical attention and special treatment needed:

Treatment: No information available.

5. Firefighting measures

Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special hazards arising from the substance or mixture
Hazardous Combustion Products: None (noncombustible), (see also Hazardous Decomposition Products sections.)

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

Unusual Fire and Explosion Hazards: None.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Refer to protective measures listed in sections 7 and 8.

Methods and materials for containment and cleaning up: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Prevent runoff from entering drains, sewers, or streams.

Environmental precautions: No information available.

7. Handling and storage

Precautions for safe handling

Personal precautions: Avoid breathing mist or vapour. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: No special technical protective measures required.

Conditions for safe storage, including any incompatibilities: Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls

Chemical Name	Regulatory List	Value Type	Value
Hydroquinone	ACGIH	Time weighted average	1 mg/m3
Hydroquinone	OSHA	Time weighted average	2 mg/m3

Appropriate engineering controls: Use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye protection: Wear safety glasses with side shields (or goggles).

Hand protection: Wear protective gloves/ protective clothing.

Respiratory protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

9. Physical and chemical properties

Physical form: liquid

Colour: colourless

Odour: slight

Specific gravity: 1.08 - 1.09

Vapour pressure: 24 mbar (18.0 mm Hg)

Vapour density: 0.6

Boiling point/boiling range: > 100 °C (212.0 °F)

Water solubility: complete

pH: 8.5

Flash point: does not flash

Evaporation rate: No data available

Flammability (Solid; gas): No data available

Upper explosion limit: No data available

Lower explosion limit: No data available

Partition coefficient: n-octanol/water: No data available

Auto-ignition temperature: No data available

Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available

Oxidizing properties: No data available

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerisation does not occur.

Conditions to avoid: No data available

Incompatible materials: Acids. Contact with strong acids liberates sulphur dioxide.

Hazardous decomposition products: Sulphur oxides

11. Toxicological information

Effects of Exposure

General advice:

Contains: Hydroquinone. Suspected of causing cancer. Suspected of causing genetic defects.

Contains: Bis(4-hydroxy-N-methylanilinium) sulphate. Based on animal data, may cause adverse effects on the following organs/systems: blood, kidney, spleen. Based on animal data this material can produce methemoglobin which, in sufficient concentration, causes cyanosis, a blue-gray discoloration of the skin and lips caused by a reduced ability of the blood to carry oxygen.

Contains: Sodium tetraborate. Based on repeated-dose ingestion studies in animals, may cause adverse reproductive and developmental effects.

Inhalation: Expected to be a low hazard for recommended handling. In contact with strong acids or if heated, sulphites may liberate sulphur dioxide gas. Sulphur dioxide gas is irritating to the respiratory tract. Some asthmatics or hypersensitive individuals may experience difficult breathing.

Eyes: May cause transient irritation.

Skin: May cause allergic skin reaction.

Ingestion: Expected to be a low hazard for recommended handling. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Data for Sodium sulphite (CAS 7757-83-7):

Acute Toxicity Data:
Oral LD50 (Rat): 820 mg/kg

- Inhalation LC50 (Rat): > 22 mg/l / 1 hr
- Skin irritation: none
- Eye irritation: slight; washing palliative

Data for Hydroquinone (CAS 123-31-9):

Acute Toxicity Data:
Oral LD50 (male Rat): 400 mg/kg

- Oral LD50 (male Mouse): 100 - 200 mg/kg
- Oral LD50 (Rat): 298 mg/kg
- Dermal LD50 (Guinea pig): > 1,000 mg/kg
- Dermal LD50 (Rabbit): 74,800 mg/kg
- Skin irritation: slight
- Skin Sensitization (Guinea pig): positive

- Eye irritation: moderate

Mutagenicity/Genotoxicity Data:
- Salmonella typhimurium assay (Ames test): negative (in presence and absence of activation)
- Chromosomal aberration assay: negative (in absence of activation)
- Chromosomal aberration assay: positive (in presence of activation)
- Sister chromatid exchange (SCE) assay: positive (in presence and absence of activation)

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

Repeated dose toxicity:
- Dermal (17-day, Rat): NOEL; 3800 mg/kg/day
- Dermal (17-day): Lowest observed effect level; 4800 mg/kg/day

Developmental Toxicity Data:
- Oral (female Rabbit): NOEL for developmental toxicity; 25mg/kg/day
- Oral (female Rat): NOAEL for developmental toxicity; mg/kg/day

Data for Bis(4-hydroxy-N-methylanilinium) sulphate (CAS 55-55-0):

Acute Toxicity Data:
Oral LD50 (Rat): 237 mg/kg
- Oral LD50 (Mouse): 565 mg/kg
- Dermal LD50 (Guinea pig): > 1,000 mg/kg (highest dose tested)
- Skin irritation: slight
- Skin irritation: slight to moderate (repeated skin application)
- Skin Sensitization: positive
- Eye irritation (unwashed eyes): moderate to strong
- Eye irritation (washed eyes): slight

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

Repeated dose toxicity:
- Oral (11 days): Lowest observed effect level; 1.0 % in diet (reduced feed intake, reduced body weight gain, target organ effects: red blood cell)
- Oral (11 days): NOEL; 0.1 % in diet

Data for Sodium tetraborate (CAS 1330-43-4):

Acute Toxicity Data:

Oral LD50 (Rat): 2,403 mg/kg

- Oral LD50 (Rat): 2,660 mg/kg
- Dermal LD50 (Rabbit): > 2,000 mg/kg

Carcinogenicity

American Conference of Governmental Industrial Hygienists (ACGIH):	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans: Hydroquinone
International Agency for Research on Cancer (IARC):	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
California Prop. 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Toxicity to fish (LC50):	1 - 10 mg/l
Toxicity to daphnia (EC50):	10 - 100 mg/l

Persistence and degradability: Readily biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No information available.

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Notification status

Regulatory List	Notification status
TSCA	All listed
DSL	All listed
NDSL	None listed
EINECS	All listed
ELINCS	None listed
NLP	None listed
AICS	All listed
IECS	All listed
ENCS	All listed
ECI	All listed
NZIoC	All listed
PICCS	All listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Other regulations

U.S. - CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):	Hydroquinone
U.S. - CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities):	Hydroquinone
U.S. - CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting):	Hydroquinone
U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances:	No components found on the California Director's List of Hazardous Substances.
U.S. - California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens:	No components found on the California Specifically Regulated Carcinogens List.
U.S. - California - 8 CCR Section 5203 Carcinogens:	No components found on the California Section 5203 Carcinogens List.
U.S. - California - 8 CCR Section 5209 Carcinogens:	No components found on the California Section 5209 Carcinogens List.
U.S. - Massachusetts - General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law):	No components regulated under the Massachusetts Hazardous Substances Disclosure by Employers Law.
U.S. - Minnesota Employee Right-to-Know (5206.0400, Subpart 5. List of Hazardous Substances):	No components found on the Minnesota Employee Right-to-Know List of Hazardous Substances.
U.S. - New Jersey - Worker and Community Right to Know Act (N.J.S.A. 34:5A-1):	No components regulated under the New Jersey Worker and Community Right-to-Know Act.
U.S. - Pennsylvania - Part XIII. Worker and Community Right-to-Know Act (Chapter 323 Hazardous Substance List, Appendix A):	Water , Sodium sulphite , Hydroquinone

16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

US/Canadian Label Statements:

D76 Developer, Working Solution

Contains:
Bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0), Hydroquinone (123-31-9), Sodium tetraborate (1330-43-4)

Symbol(s):

Signal word: Danger

Hazard statements: May cause an allergic skin reaction. Suspected of causing cancer. May damage fertility or the unborn child. Toxic to aquatic life.

Precautionary statements:

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ protective clothing/ eye protection/ face protection. Avoid release to the environment.

Response: IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Specific treatment (see supplemental first aid instructions on this label). Take off contaminated clothing and wash it before reuse. IF exposed or concerned: Get medical advice/ attention.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

FIRST AID: If symptomatic, move to fresh air. Get medical attention if symptoms occur. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before re-use. Destroy or thoroughly clean contaminated shoes. If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Keep out of

reach of children. Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood. Since emptied containers retain product residue, follow label warnings even after container is emptied. **IN CASE OF FIRE:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. **IN CASE OF SPILL:** Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Prevent runoff from entering drains, sewers, or streams.

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-1, S-2, F-0, C-0 CARC REPO