

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : SMARTPOWER PRESOAK CUTLERY / FLATWARE

Other means of identification : Not applicable

Recommended use : Presoak

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.23 % - 0.39 %

Company : Ecolab Inc.  
370 N. Wabasha Street  
St. Paul, Minnesota USA 55102  
1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 04/07/2016

**SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification**

**Product AS SOLD**

Eye irritation : Category 2A

**Product AT USE DILUTION**

Not a hazardous substance or mixture.

**GHS label elements**

**Product AS SOLD**

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Causes serious eye irritation.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling.  
**Response:**  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

**Product AT USE DILUTION**

Precautionary Statements : **Prevention:**  
Wash hands thoroughly after handling.  
**Response:**  
Get medical advice/ attention if you feel unwell.  
**Storage:**  
Store in accordance with local regulations.

# SAFETY DATA SHEET

## SMARTPOWER PRESOAK CUTLERY / FLATWARE

### Product AS SOLD

Other hazards : None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Product AS SOLD

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Sodium Carbonate(soda)	497-19-8	30 - 60
Sodium sesquicarbonate	533-96-0	30 - 60
glycerin	56-81-5	1 - 5
alcohol ethoxylate	68551-12-2	1 - 5

### Product AT USE DILUTION

No hazardous ingredients

## SECTION 4. FIRST AID MEASURES

### Product AS SOLD

- In case of eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
- In case of skin contact : Rinse with plenty of water.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Get medical attention if symptoms occur.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

### Product AT USE DILUTION

- In case of eye contact : Rinse with plenty of water.
- In case of skin contact : Rinse with plenty of water.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Get medical attention if symptoms occur.

## SECTION 5. FIRE-FIGHTING MEASURES

### Product AS SOLD

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing : None known.

# SAFETY DATA SHEET

## SMARTPOWER PRESOAK CUTLERY / FLATWARE

media

- Specific hazards during fire fighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulfur oxides  
Oxides of phosphorus
- Special protective equipment for fire-fighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### Product AS SOLD

- Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal.

#### Product AT USE DILUTION

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : No special environmental precautions required.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### SECTION 7. HANDLING AND STORAGE

#### Product AS SOLD

- Advice on safe handling : Avoid contact with skin and eyes. Wash hands thoroughly after handling.
- Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.
- Storage temperature : -10 °C to 50 °C

#### Product AT USE DILUTION

- Advice on safe handling : Wash hands after handling. For personal protection see section 8.
- Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

# SAFETY DATA SHEET

## SMARTPOWER PRESOAK CUTLERY / FLATWARE

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Product AS SOLD

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
glycerin	56-81-5	TWA	10 mg/m <sup>3</sup>	ACGIH
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z1

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Personal protective equipment

Eye protection : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

#### Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: Extruded solid.	liquid
Color	: opaque, blue	light blue
Odor	: citrus	citrus
pH	: 10.08 - 10.58, 1 %	10.2 - 10.4
Flash point	: Not applicable, Does not sustain combustion.	
Odor Threshold	: No data available	

## SAFETY DATA SHEET

### SMARTPOWER PRESOAK CUTLERY / FLATWARE

Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1.7 - 2.1
Water solubility	: slightly soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
VOC	: No data available

### SECTION 10. STABILITY AND REACTIVITY

#### Product AS SOLD

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: Acids
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Eye contact

#### Potential Health Effects

#### Product AS SOLD

Eyes : Causes serious eye irritation.

## SAFETY DATA SHEET

### SMARTPOWER PRESOAK CUTLERY / FLATWARE

Skin : Health injuries are not known or expected under normal use.  
Ingestion : Health injuries are not known or expected under normal use.  
Inhalation : Health injuries are not known or expected under normal use.  
Chronic Exposure : Health injuries are not known or expected under normal use.

#### Product AT USE DILUTION

Eyes : Health injuries are not known or expected under normal use.  
Skin : Health injuries are not known or expected under normal use.  
Ingestion : Health injuries are not known or expected under normal use.  
Inhalation : Health injuries are not known or expected under normal use.  
Chronic Exposure : Health injuries are not known or expected under normal use.

#### Experience with human exposure

##### Product AS SOLD

Eye contact : Redness, Pain, Irritation  
Skin contact : No symptoms known or expected.  
Ingestion : No symptoms known or expected.  
Inhalation : No symptoms known or expected.

#### Product AT USE DILUTION

Eye contact : No symptoms known or expected.  
Skin contact : No symptoms known or expected.  
Ingestion : No symptoms known or expected.  
Inhalation : No symptoms known or expected.

#### Toxicity

##### Product AS SOLD

###### Product

Acute oral toxicity : Acute toxicity estimate : 3,834 mg/kg  
Acute inhalation toxicity : No data available  
Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Skin corrosion/irritation : No data available  
Serious eye damage/eye irritation : No data available  
Respiratory or skin sensitization : No data available  
Carcinogenicity : No data available  
Reproductive effects : No data available  
Germ cell mutagenicity : No data available  
Teratogenicity : No data available

## SAFETY DATA SHEET

### SMARTPOWER PRESOAK CUTLERY / FLATWARE

STOT-single exposure : No data available  
STOT-repeated exposure : No data available  
Aspiration toxicity : No data available

#### SECTION 12. ECOLOGICAL INFORMATION

##### Product AS SOLD Ecotoxicity

Environmental Effects : Harmful to aquatic life.

##### Product

Toxicity to fish : 96 h LC50: 66 mg/l  
Toxicity to daphnia and other aquatic invertebrates : No data available  
Toxicity to algae : No data available

##### Ingredients

Toxicity to daphnia and other aquatic invertebrates : Sodium Carbonate(soda)  
48 h EC50 Ceriodaphnia (water flea): 213.5 mg/l

##### Persistence and degradability

The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC

##### Bioaccumulative potential

No data available

##### Mobility in soil

No data available

##### Other adverse effects

No data available

#### SECTION 13. DISPOSAL CONSIDERATIONS

##### Product AS SOLD

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

##### Product AT USE DILUTION

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

## SAFETY DATA SHEET

### SMARTPOWER PRESOAK CUTLERY / FLATWARE

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

#### SECTION 14. TRANSPORT INFORMATION

##### Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

##### Land transport (DOT)

Not dangerous goods

##### Sea transport (IMDG/IMO)

Not dangerous goods

#### SECTION 15. REGULATORY INFORMATION

##### Product AS SOLD

##### EPCRA - Emergency Planning and Community Right-to-Know

##### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Acute Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

##### California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

##### The ingredients of this product are reported in the following inventories:

##### United States TSCA Inventory :

On TSCA Inventory

##### Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL

##### Australia Inventory of Chemical Substances (AICS) :

On the inventory, or in compliance with the inventory

##### New Zealand. Inventory of Chemical Substances :



# SAFETY DATA SHEET

## SMARTPOWER PRESOAK CUTLERY / FLATWARE

On the inventory, or in compliance with the inventory

**Japan. ENCS - Existing and New Chemical Substances Inventory :**  
not determined

**Japan. ISHL - Inventory of Chemical Substances (METI) :**  
not determined


**Korea. Korean Existing Chemicals Inventory (KECI) :**  
On the inventory, or in compliance with the inventory

**Philippines Inventory of Chemicals and Chemical Substances (PICCS) :**  
On the inventory, or in compliance with the inventory

**China. Inventory of Existing Chemical Substances in China (IECSC) :**  
On the inventory, or in compliance with the inventory

### SECTION 16. OTHER INFORMATION

#### Product AS SOLD NFPA:




#### HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

#### Product AT USE DILUTION NFPA:



#### HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 04/07/2016  
Version : 1.0  
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

## **SAFETY DATA SHEET**

### **SMARTPOWER PRESOAK CUTLERY / FLATWARE**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.