101029 | Part# WM832 CLEANER, WHEEL, SPRAY #WM832 206 SOPUS PRODUCTS Buyer: Charles H. Aubuchon

SOPUS Products Product Stewardship P.O. Box 4427 Houston, TX 77210-4427

0010054255

AUBUCHON HARDWARE MSDS COORDINATOR 95 AUBUCHON DR DISTRIBUTION CENTER WESTMINSTER, MA 01473-1470 **UNITED STATES**

Dear Customer:

Enclosed are Material Safety Data Sheets (MSDS) on products purchased by your company. The information contained on the MSDS is designed to meet requirements under OSHA Hazard Communication Standard (29 CFR 1910.1200). Included in this MSDS is information necessary to comply with environmental statutes including Title III of the Superfund Amendment and Reauthorization Act of 1986 (SARA). This information must be provided to persons who handle or use these products. Please feel free to copy our MSDS as necessary for training programs or to supply downstream customers.

If you are not directly responsible for the distribution of these sheets or the information on them, we ask that you forward them to the appropriate person. If you wish to change your company's contact and/or address (for the mailing of paper copies), please write the correct information below and return to SOPUS Products, Health Safety & Environmental, Product Stewardship at the address above.

CORRECTED CONTACT/ADDRESS

NAME/TITLE:			
COMPANY:			
STREET ADDRESS:			
CITY:			
**********	*********	******	******
	ELECTRONIC MEDIA	INFORMATION	
			ail or Fax , in the future (other than rand Electronic Address information
CONTACT PHONE NUMBER:			
ELECTRONIC MEDIA ADDRES	S: E-MAIL		

BLUE CORAL® ULTRA WHEEL MAGIC

1. PRODUCT AND COMPANY IDENTIFICATION MSDS Number: 15616

Product Name: BLUE CORAL® ULTRA WHEEL MAGIC

Product Use: Wheel polish **Synonyms:** WM832

Company Information

SOPUS Products P.O. Box 4427

Houston, TX 77210-4427

USA

Phone Numbers

Medical Emergency: 1-800-546-6040

Transportation Emergency (USA): 1-800-424-9300

Transportation Emergency (International):

1-703-527-3887 (Call Collect)

Version Date: 10/25/2005

MSDS Assistance: 1-800-546-6227 Fax On Demand: 1-800-546-6227 Technical Assistance: 1-800-416-1600 Customer Service: Not applicable Fax Number: 713-217-3181

Internet Address: www.MSDS.PZLQS.com

2. COMPONENT INFORMATION

Component	CAS No.	Weight Percent	Hazardous
		Range	in Blend
WATER	7732-18-5	50 - 80	No
SURFACTANTS	MIXTURE	5 - 20	No
ISOPROPYL ALCOHOL	67-63-0	1 - 10	Yes
EB SOLVENT	112-34-5	1 - 10	Yes
CHELATING AGENT	TRADESECRET	1 - 10	No

This product meets the definition of a hazardous chemical when evaluated according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Communication Standard, 27 CT K 1910.1200.					
Hazards:					
Flammable/Combustible X Acute Toxin X Chronic Toxin — Carcinogen —					
Pressure Reactive Exposure Limit X Target Organ Other					
Other: No information available					
3.HAZARDS IDENTIFICATION					
Emergency and Hazards Overview					
CAUTION: MAY CAUSE EYE IRRITATION.					
NFPA Ratings: Health 1 Flammability 2 Reactivity 0					
Primary Route of Exposure: Skin X Inhalation Eye					
Health Effect Information					
Eye Contact: Avoid eye contact. May be irritating to the eyes upon direct contact.					

Skin Contact: Avoid prolonged and repeated skin contact. Prolonged or repeated contact may result in slight skin irritation.

Inhalation: This product is not expected to pose an inhalation hazard under conditions of foreseeable use.

MSDS Number: 15616

BLUE CORAL® ULTRA WHEEL MAGIC

Other: No information available

6. ACCIDENTAL RELEASE MEASURES

Personnel Safeguards: Provide adequate ventilation during clean-up. Consult Health Effect Information in Section 3, Personal Protection Information in Section 8, Fire and Explosion Information in Section 5, and Stability and Reactivity Information in Section 10.

Regulatory Notifications: No notification required

Containment and Clean up: No special cleanup procedures are necessary. Do not allow spill to enter sewers or watercourses. Small spills may be picked up with absorbent material.

Other: No information available

7. HANDLING AND STORAGE INFORMATION

Handling: No special handling procedures are necessary.

Storage: Store in a cool, well ventilated area in closed containers away from heat, sparks, open flame or oxidizing materials. Do not transfer to unmarked containers.

Empty Container Warnings

Drums: Not applicable

Plastic: Do not reuse this container. Empty container may retain product residues.

Other: No information available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION INFORMATION

Exposure Limits and Guidelines

Component	CAS No.	Exposure Limit
ISOPROPYL ALCOHOL	67-63-0	OSHA - PEL: TWA 400 ppm
		ACGIH - TLV: TWA 400 ppm
		ACGIH - TLV: STEL 500 ppm

Personal Protective Equipment

Eye/Face Protection: Eye protection is not required under conditions of normal use. If material is handled such that it could be splashed into eyes, wear plastic face shield or splash-proof safety goggles.

Skin Protection: Skin protection is not required under conditions of normal use. For prolonged or repeated exposures, use impervious clothing (boots, gloves, aprons, etc.) over parts of the body subject to exposure.

Respiratory Protection: Respiratory protection is not required under conditions of normal use.

Personal Hygiene: Always wash hands and face with soap and water before eating, drinking, or smoking. Consumption of food and beverage should be avoided in work areas where this product is present.

Engineering Controls / Work Practices

Ventilation: General room ventilation is normally sufficient.

Other: No information available

Page 3 of 7

BLUE CORAL® ULTRA WHEEL MAGIC

State Lists: 60 - CA - Proposition 65, 61 - FL - Substances, 62 - MI - Critical materials, 63 - MA - RTK, 64 - MA - Extraordinarily hazardous substances, 65 - MN - Hazardous substances, 66 - PA - RTK, 67 - NJ

- RTK, 68 - NJ - Environmental hazardous substances, 69 - NJ - Special hazardous substances

Inventories: 80 - Canada - Domestic substances, 81 - European - EINECS, 82 - Japan - ENCS, 83 - Korea - Existing and evaluated chemical substances, 84 - US - TSCA , 85 - China Inventory

Regulatory Search Results:

MSDS Number: 15616

EB SOLVENT: 23, 33, 35, 50, 80, 81, 82, 83, 84, 85 ISOPROPYL ALCOHOL: 15, 16, 17, 22, 23, 35, 42, 50, 61, 63, 65, 66, 67, 68, 69, 80, 81, 82, 83, 84, 85 WATER: 80, 81, 83, 84, 85

U.S. TSCA Inventory: All components of this material are on the US TSCA Inventory.

SARA Section 313: Consumer products are not regulated under SARA, Title III, Section 313.

IARC: 1	No in:	formation av	ailabl	e				
		312 Categor Chronic:		Fire:	X	Pressure:	 Reactive:	
Not Reg	ulate	d:	_		_			

Canadian WHMIS Classification

Class B - Flammable and Combustible Material, Division 3, Combustible Liquid Class D - Poisonous and infectious material, Division 2B, Toxic Material

European Union Classification

Hazard Symbols:

No classification recommended

Risk Phrases:

No classification recommended

Safety Phrases:

No classification recommended

Other: No information available

16. OTHER INFORMATION

Health and Environmental Label Language

Front Label:

CAUTION: MAY CAUSE EYE IRRITATION.

Read carefully other cautions on back.

Back Label:

CAUTION: Contains surfactants. PRECAUTIONARY MEASURES: Avoid contact with eyes. FIRST AID: In case of contact with eyes, flush thoroughly with water. If irritation persists, seek medical attention.

KEEP OUT OF REACH OF CHILDREN.

MSDS Revisions

Previous Version Date: 4/2/2003

Page 6 of 7

MSDS Number: 15616

BLUE CORAL® ULTRA WHEEL MAGIC

Other: No information available

12. ECOLOGICAL INFORMATION

Aquatic Toxicity: No information available

Terrestrial Toxicity: No information available

Chemical Fate and Transport: No information available

Other: No information available

13. DISPOSAL INFORMATION

Regulatory Information: Dispose of residual products and empty containers responsibly.

Waste Disposal Methods: Waste material may be landfilled or incinerated at an approved facility.

Other: No information available

14. TRANSPORTATION INFORMATION

U.S. Department of Transportation (DOT)

Highway / Rail (Bulk): NOT APPLICABLE

Highway / Rail (Non-Bulk): CONSUMER COMMODITY, ORM-D

For US shipments, US DOT law requires the shipper to determine the proper shipping description of the material that is being shipped. The shipping information and description contained in this section may not be suitable for all shipments of this material, but may help the shipper determine the proper shipping description for a particular shipment.

Vessel:	IMDG Regulated:	_X	IMDG Not Regulated:	_
Air:	ICAO Regulated:	X	ICAO Not Regulated:	
Other: No	information available	2		

15. Regulatory Information

Regulatory Lists Searched: The components listed in Section 2 of this MSDS were compared to substances that appear on the following regulatory lists. Each list is numerically identified. See Regulatory Search Results below.

Health & Safety: 10 - IARC carcinogen, 11 - NTP carcinogen, 12 - OSHA carcinogen, 15 - ACGIH TLV, 16 - OSHA PEL, 17 - NIOSH exposure limit, 20 - US DOT Appendix A, Hazardous substances, 22 - FDA 21 CFR Total food additives, 23 - NFPA 49 or 325

Environmental: 30 - CAA 1990 Hazardous air pollutants, 31 - CAA Ozone depletors, 33 - CAA HON rule, 34 - CAA Toxic substance for accidental release prevention, 35 - CAA Volatile organic compounds (VOC's) in SOCMI, 41 - CERCLA / SARA Section 302 extremely hazardous substances, 42 - CERCLA / SARA Section 313 emissions reporting, 43 - CWA Hazardous substances, 44 - CWA Priority pollutants, 45 - CWA Toxic pollutants, 46 - EPA Proposed test rule for hazardous air pollutants, 47 - RCRA Basis for listing - Appendix VII, 48 - RCRA waste, 49 - SDWA - (S)MCLs

International: 50 - Canada - WHMIS Classification of substance, 54 - Mexico - Drinking water - ecological criteria, 55 - Mexico - Wastewater discharges, 56 - US -TSCA Section (12)(b) - export notification

Page 5 of 7

BLUE CORAL® ULTRA WHEEL MAGIC

9. PHYSICAL AND CHEMICAL PROPERTIES

Odor: Mint/pine fragrance	Vapor Pressure: > 1
Physical state: Liquid	Vapor Density (air=1): No data available
pH: 10.9 - 11.9	Percent Volatile by Volume: No data available
Boiling Point: 174.2 F, 79 C	Volatile Organic Content: No data available
Melting Point: No data available	Molecular Weight: No data available
Specific Gravity: 1.03 - 1.04	Average Carbon Number: No data available
Pour Point: No data available	Viscosity @ 100 F: Not applicable
	Viscosity @ 40 C: Not applicable
Solubility in Water: Soluble in water	
Octanol / Water Coefficient: Log Kow = 1	No data available

10. STABILITY AND REACTIVITY INFORMATION

Chemical Stability: Stable

MSDS Number: 15616

Conditions to Avoid: Keep away from heat, sparks, open flames and other ignition sources.

Incompatible Materials to Avoid: Strong oxidizers, strong acids. Strong bases.

Other: No information available

11. TOXICOLOGICAL INFORMATION

Primary Eye Irritation: No information available

Primary Skin Irritation: No information available

Acute Dermal Toxicity: No information available

Subacute Dermal Toxicity: No information available

Dermal Sensitization: No information available

Inhalation Toxicity: No information available

Inhalation Sensitization: No information available

Oral Toxicity: No information available

Mutagenicity: No information available

Carcinogenicity: No information available

Reproductive and Developmental Toxicity: No information available

Teratogenicity: No information available

Immunotoxicity: No information available

Neurotoxicity: No information available

Page 4 of 7

MSDS Number: 15616 BLUE CORAL® ULTRA WHEEL MAGIC

Page 7 of 7

Previous Version Information

No information available

Other

No information available

Prepared By:

SOPUS Products P.O. Box 4427 Houston, TX 77210-4453 USA

Disclaimer of Warranty: The information contained herein is based upon data and information available to us, and reflects our best professional judgment. This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, SOPUS Products must rely upon the hazard evaluation of such components submitted by that product's manufacturer or importer. No warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data or information, the results to be obtained from the use thereof, or that any such use do not infringe any patent. Since the information contained herein may be applied under conditions of use beyond our control and with which we may be unfamiliar, we do not assume responsibility for the results of such application. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use.

MSDS Number: 15616

BLUE CORAL® ULTRA WHEEL MAGIC

Ingestion: This product is regarded as having a low order of toxicity. Ingestion is expected to be relatively non-toxic unless aspiration occurs. If biphasic separation of this mixture occurs, the solvent phase may pose a hazard upon aspiration. Coughing, choking, and gagging are often noted at the time of aspiration.

Medical Conditions Aggravated by Exposure: None expected.

Other: No information available

4. FIRST AID INFORMATION

Eye Contact: Immediately flush eyes with large amounts of water and continue flushing until irritation subsides. If irritation persists, seek medical attention.

Skin Contact: No treatment is necessary under ordinary circumstances. Wash contaminated area thoroughly with soap and water. If redness or irritation occurs and persists, seek medical attention.

Inhalation: This material does not present any known inhalation hazard. No treatment is necessary under ordinary circumstances.

Ingestion: Do not induce vomiting due to aspiration hazard. If vomiting occurs lower head below knees to avoid aspiration. If victim exhibits signs of lung aspiration such as coughing or choking, seck immediate medical assistance.

Notes to Physician: No information available

Other: No information available

5. FIRE AND EXPLOSION INFORMATION

Flammable Properties

Flash Point: 117 F, 47.2 C Test Method: ASTM D-93 (P.M.C.C.)

Flammable Limits in Air

Upper Percent: No data available Lower Percent: No data available

Autoignition Temperature: No data available Test Method: No information available

NFPA Classification: Class II combustible liquid

Extinguishing Media: Use dry chemical, foam, or carbon dioxide.

Fire Fighting Measures

Special Fire Fighting Procedures and Equipment: Water may be ineffective but can be used to cool containers exposed to heat or flame to prevent vapor pressure buildup and possible container rupture.

Unusual Fire and Explosion Conditions: Carbon monoxide, carbon dioxide, and other oxides may be generated as products of combustion. This product is a mixture of water and a water miscible alcohol, and does not present a significant flammability hazard when used by consumers.

Although the flash point of this product may be below 150F, such products are not considered combustible by the Consumer Products Safety Commission (CPSC).

Hazardous Combustion By-Products: No information available

Page 2 of 7