

Revision Date: 12-09-2020

SAFETY DATA SHEET

According to US Regulation 29 CFR 1910.1200 (HazCom 2012)

1. Identification

Product identifier: Sodium Hydroxide, Pellets

Other means of identification

Product No.: 3115, 3717, 3718, 3720, 3722, 3723, 3728, 5045, 5565, 7001,

7680, 7690, 7708, 7740, 7760, 7772, BR20, BS20, 11128,

11680, 11708, 11722, 11728, 22228, 22728

Recommended restrictions

Recommended use: For Laboratory, Research or Manufacturing Use.

Restrictions on use: Not determined.

Details of the supplier of the safety data sheet

Company Name: Avantor Performance Materials, LLC

Address: 100 Matsonford Rd, Suite 200

Radnor, PA 19087

Telephone: Customer Service: 855-282-6867

Contact Person: Product Information Compliance E-mail: info@avantormaterials.com

Emergency telephone number:

CHEMTREC: 1-800-424-9300 within US and Canada (24 hrs/day, 7 days/week)

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Corrosive to metal Category 1

Health Hazards

Skin Corrosion/Irritation Category 1A
Serious Eye Damage/Eye Irritation Category 1

Unknown toxicity - Health

Acute toxicity, inhalation, dust 100 %

or mist

Unknown toxicity - Environment

Acute hazards to the aquatic 0 %

environment

Chronic hazards to the aquatic 100 %

environment

Label Elements



Revision Date: 12-09-2020

Hazard Symbol:



Signal Word: Danger

Hazard Statement: May be corrosive to metals.

Causes severe skin burns and eye damage.

Precautionary Statements

Prevention: Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective

gloves/protective clothing/eye protection/face protection. Keep only in

original packaging. Wash hands thoroughly after handling.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water [or shower]. Wash

contaminated clothing before reuse. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Absorb spillage to prevent material damage.

Storage: Store locked up. Store in a corrosion-resistant container with a resistant

inner liner. Store in a well-ventilated place. Keep container tightly closed.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC): None.

3. Composition/information on ingredients

Substances

Chemical Identity	CAS number	Content in percent (%)*
Sodium hydroxide	1310-73-2	95.0 - 100.0%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: Get medical advice/attention if you feel unwell. Show this safety data sheet

to the doctor in attendance.

Ingestion: Call a physician or poison control center immediately. Do not induce

vomiting without advice from poison control center. If vomiting occurs, keep

head low so that stomach content doesn't get into the lungs.

Inhalation: Move to fresh air. Call a physician or poison control center immediately.

Apply artificial respiration if victim is not breathing If breathing is difficult,

give oxygen.



Revision Date: 12-09-2020

Skin Contact: Immediately flush with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse.

Destroy or thoroughly clean contaminated shoes.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Call a physician or poison control center

immediately.

Most important symptoms/effects, acute and delayed

Symptoms: Corrosive to skin and eyes.

Hazards: None known.

Indication of immediate medical attention and special treatment needed

Treatment: Treat symptomatically. Symptoms may be delayed.

5. Fire-fighting measures

General Fire Hazards: No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

The product reacts with water and will generate heat.

Specific hazards arising from

the chemical:

Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to

flames with water until well after the fire is out.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Keep unauthorized personnel away. Ventilate closed spaces before entering them. Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Methods and material for containment and cleaning

ıın.

Sweep up and place in a clearly labeled container for chemical waste. Clean surface thoroughly to remove residual contamination. Neutralize spill area and washings with dilute acetic acid.

Notification Procedures: Prevent entr

Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts

are involved.



Revision Date: 12-09-2020

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so. Avoid discharge into drains, water courses or onto

the ground.

7. Handling and storage

Precautions for safe handling: Do not get in eyes, on skin, on clothing. Do not eat, drink or smoke when

using the product. Do not taste or swallow. Avoid breathing dust or vapor. Use personal protective equipment as required. Wash hands thoroughly

after handling.

Conditions for safe storage,

including any incompatibilities: Do not store in metal containers. Keep container tightly closed. Store in a

well-ventilated place. Store in a dry place.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values		Source
Sodium hydroxide	Ceiling	2	mg/m3	US. ACGIH Threshold Limit Values (2011)
	Ceil_Time	2	mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	2	mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	Ceiling	2	mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	Ceiling	2	mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	Ceiling	2	mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)
Sodium hydroxide - Particulate.	STESL	Health 20) µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	Health 2	2 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If

exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the

immediate work area.

Eye/face protection: Wear safety glasses with side shields (or goggles) and a face shield.

Skin Protection

Hand Protection: Chemical resistant gloves

Other: Wear suitable protective clothing.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Air-purifying

respirator with a high efficiency particulate filter.



Revision Date: 12-09-2020

Hygiene measures: Provide eyewash station and safety shower. Always observe good personal

hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state: Solid
Form: Pellets
Color: White
Odor: Odorless

Odor threshold: No data available.

pH: 12 (20 °C) (0.5% aqueous solution)

Melting point/freezing point:

Initial boiling point and boiling range:

Flash Point:

Evaporation rate:

No data available.

Noncombustible Solid

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available. Flammability limit - lower (%): No data available. No data available. Explosive limit - upper (%): Explosive limit - lower (%): No data available. No data available. Vapor pressure: Vapor density: No data available. 2.13 g/ml (20 °C) Density: Relative density: 2.13 (25 °C)

Solubility(ies)

Solubility in water: 1,110 g/l

Solubility (other): ethanol: 138.9 g/l

methanol: 240 g/l glycerol: Soluble

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

No data available.

No data available.

No data available.

Viscosity:

No data available.

Other information

Molecular weight: 40 g/mol (NaOH)

10. Stability and reactivity

Reactivity: Reacts violently with strong acids.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur. The substance is hygroscopic

and will absorb water by contact with the moisture in the air.

Conditions to avoid: Avoid dust formation. Heat. Moisture.

Incompatible Materials: Oxidizing agents. Acids. Flammable liquid. Contact with metals may evolve

flammable hydrogen gas.

SDS_US - SDS000000947



Revision Date: 12-09-2020

Hazardous Decomposition

Products:

Sodium oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation: May cause damage to mucous membranes in nose, throat, lungs and

bronchial system.

Skin Contact: Causes severe skin burns.

Eye contact: Causes serious eye damage.

Ingestion: May cause burns of the gastrointestinal tract if swallowed.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: LD 50 (Rat): 130 - 340 mg/kg

Dermal

Product: LD 50 (Rabbit) 1,350 mg/kg

Inhalation

Product: No data available.

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: Causes severe skin burns.

Serious Eye Damage/Eye Irritation

Product: Causes serious eye damage.

Respiratory or Skin Sensitization

Product: Not a skin nor a respiratory sensitizer.

Carcinogenicity

Product: This substance has no evidence of carcinogenic properties.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified



Revision Date: 12-09-2020

Germ Cell Mutagenicity

In vitro

Product: No mutagenic components identified

In vivo

Product: No data available.

Reproductive toxicity

Product: No components toxic to reproduction

Specific Target Organ Toxicity - Single Exposure Product: None known.

Specific Target Organ Toxicity - Repeated Exposure

Product: None known.

Aspiration Hazard

Product: Not classified

Other effects: None known.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Sodium hydroxide LOAEL (Sander lucioperca, 24 h): >= 35 mg/l

LC 50 (Western mosquitofish (Gambusia affinis), 96 h): 125 mg/l

LC 50 (Lepomis macrochirus, 48 h): 99 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Sodium hydroxide LC 50 (Ophryotrocha diadema, 48 h): 33 - 100 mg/l

LOAEL (Daphnia magna): 40 - 240 mg/l LC 50 (Cockle, 48 h): 330 - 1,000 mg/l

EC 50 (Water flea (Ceriodaphnia dubia), 48 h): 34.59 - 47.13 mg/l

EC 50 (Ceriodaphnia sp., 48 h): 40.4 mg/l

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.



Revision Date: 12-09-2020

Persistence and Degradability

Biodegradation

Product: Expected to be readily biodegradable.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: The product is water soluble and may spread in water systems.

Other adverse effects: Harmful to aquatic organisms. The product may affect the acidity (pH-factor)

in water with risk of harmful effects to aquatic organisms.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: Since emptied containers retain product residue, follow label warnings even

after container is emptied.

14. Transport information

DOT

UN Number: UN 1823

UN Proper Shipping Name: Sodium hydroxide, solid

Transport Hazard Class(es)

Class: 8
Label(s): 8
Packing Group: II
Marine Pollutant: No



Revision Date: 12-09-2020

Special precautions for user: Keep away from acids.

IMDG

UN Number: UN 1823

UN Proper Shipping Name: SODIUM HYDROXIDE, SOLID

Transport Hazard Class(es)

Class: 8
Label(s): 8
EmS No.: F-A. S-B

Packing Group:

Marine Pollutant: No

Special precautions for user: Keep away from acids.

IATA

UN Number: UN 1823

Proper Shipping Name: Sodium hydroxide, solid

Transport Hazard Class(es):

Class: 8
Label(s): 8
Packing Group: II
Marine Pollutant: No

Special precautions for user: Keep away from acids.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity Reportable quantity

Sodium hydroxide 1000 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Corrosive to metal

Skin Corrosion or Irritation

Serious eye damage or eye irritation

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

Chemical Identity Threshold Planning Quantity

Sodium hydroxide 10000 lbs.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.



Revision Date: 12-09-2020

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3):

Chemical Identity

Reportable quantity

Sodium hydroxide Reportable quantity: 1000 lbs.

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Sodium hydroxide

US. Massachusetts RTK - Substance List

Chemical Identity

Sodium hydroxide

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Sodium hydroxide

US. Rhode Island RTK

Chemical Identity

Sodium hydroxide

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable

Inventory Status:


Australia AICS: On or in compliance with the inventory Canada DSL Inventory List: On or in compliance with the inventory China Inv. Existing Chemical Substances: On or in compliance with the inventory On or in compliance with the inventory Japan (ENCS) List: Japan ISHL Listing: On or in compliance with the inventory Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory Mexico INSQ: On or in compliance with the inventory New Zealand Inventory of Chemicals: On or in compliance with the inventory On or in compliance with the inventory Philippines PICCS: Taiwan Chemical Substance Inventory: On or in compliance with the inventory US TSCA Inventory: On or in compliance with the inventory EINECS, ELINCS or NLP: On or in compliance with the inventory

16.Other information, including date of preparation or last revision



Revision Date: 12-09-2020

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date: 12-09-2020

Revision Information: Not relevant.

Version #: 2.10

Source of information: Sources of information used in preparing this SDS included one or more of

the following: results from in house or supplier toxicology studies, information from the Toxicology Data Network (TOXNET), European Chemical Agency (ECHA) substance dossiers, IARC Monographs, US National Toxicology Program data, the Agency for Toxic Substances and Disease Registry, other

manufacturer's SDSs and other sources, as appropriate.

Further Information: No data available.

Disclaimer: The information provided in this Safety Data Sheet (SDS) was prepared

based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE

MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR

LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS

LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.