Material Safety Data Sheet

Version 4.1 Revision Date 01/17/2012 Print Date 06/25/2012

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sodium dichromate dihydrate

Product Number : 398063 Brand : Sigma-Aldrich

Supplier : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052 Emergency Phone # (For : (314) 776-6555

both supplier and

manufacturer)

Preparation Information : Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Carcinogen, Target Organ Effect, Toxic by inhalation., Highly toxic by ingestion, Harmful by skin absorption., Respiratory sensitiser, Corrosive, Teratogen, Reproductive hazard, Mutagen

Target Organs

Liver, Kidney

GHS Classification

Oxidizing solids (Category 2)
Acute toxicity, Oral (Category 2)
Acute toxicity, Inhalation (Category 4)
Acute toxicity, Dermal (Category 4)

Skin corrosion (Category 1B)
Serious eye damage (Category 1)
Respiratory sensitization (Category 1)

Germ cell mutagenicity (Category 1B) Carcinogenicity (Category 1B)

Reproductive toxicity (Category 1B)

Specific target organ toxicity - repeated exposure, Inhalation (Category 1)

Acute aquatic toxicity (Category 1)

GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H272 May intensify fire; oxidiser.

H300 Fatal if swallowed.

H312 + H332 Harmful in contact with skin or if inhaled H314 Causes severe skin burns and eye damage.

Sigma-Aldrich - 398063 Page 1 of 7

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H340 May cause genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure if inhaled.

H400 Very toxic to aquatic life.

Precautionary statement(s)

P201 Obtain special instructions before use.

P220 Keep/Store away from clothing/ combustible materials. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash hands thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

HMIS Classification

Health hazard: 3
Chronic Health Hazard: *
Flammability: 0
Physical hazards: 0

NFPA Rating

Health hazard: 3
Fire: 0
Reactivity Hazard: 3
Special hazard.: OX

Potential Health Effects

Inhalation Toxic if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

SkinCauses skin burns.EyesCauses eye burns.IngestionMay be fatal if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Sodium bichromate

Formula : $Cr_2Na_2O_7 \cdot 2H_2O$ Molecular Weight : 298.00 g/mol

Component	Concentration		
Sodium dichromate dihydrate			
CAS-No.	7789-12-0	-	
EC-No.	234-190-3		
Index-No.	024-004-00-7		

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

Sigma-Aldrich - 398063 Page 2 of 7

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Not flammable or combustible.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Sodium oxides, Chromium oxides

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Keep away from heat and sources of ignition.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Sigma-Aldrich - 398063 Page 3 of 7

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

solid Form

Colour no data available

Safety data

рΗ no data available

Melting

Melting point/range: 91 °C (196 °F) - lit.

point/freezing point

Boiling point no data available Flash point not applicable Ignition temperature no data available no data available Autoignition

temperature

Lower explosion limit no data available Upper explosion limit no data available Vapour pressure no data available

Density 2.350 g/cm3

Water solubility no data available Partition coefficient: no data available

n-octanol/water

no data available

Relative vapour density

Odour no data available Odour Threshold no data available Evaporation rate no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

no data available

Materials to avoid

Strong reducing agents, Alcohols

Sigma-Aldrich - 398063 Page 4 of 7

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Sodium oxides, Chromium oxides Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

LD50 Oral - rat - 50 mg/kg

Inhalation LC50

Dermal LD50

Other information on acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

May cause allergic respiratory reaction.

Germ cell mutagenicity

May alter genetic material.

In vivo tests showed mutagenic effects

Genotoxicity in vitro - rat - Liver

DNA damage

Genotoxicity in vitro - Hamster - Lungs

Sister chromatid exchange

Genotoxicity in vivo - rat - Intratracheal

DNA damage

Carcinogenicity

Carcinogenicity - rat - Intratracheal

Tumorigenic:Carcinogenic by RTECS criteria. Lungs, Thorax, or Respiration:Tumors.

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Possible human carcinogen

IARC: 1 - Group 1: Carcinogenic to humans (Sodium dichromate dihydrate)

1 - Group 1: Carcinogenic to humans (Sodium dichromate dihydrate)

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: Known to be human carcinogen (Sodium dichromate dihydrate)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

May cause reproductive disorders.

Teratogenicity

May cause congenital malformation in the fetus.

Presumed human reproductive toxicant

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Sigma-Aldrich - 398063 Page 5 of 7

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

Inhalation - Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

no data available

Potential health effects

Inhalation Toxic if inhaled. Material is extremely destructive to the tissue of the mucous membranes

and upper respiratory tract.

Ingestion May be fatal if swallowed.

Skin Causes skin burns. **Eyes** Causes eye burns.

Signs and Symptoms of Exposure

Ulceration, Liver injury may occur., Kidney injury may occur.

Synergistic effects no data available

Additional Information RTECS: HX7750000

12. ECOLOGICAL INFORMATION

Toxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3086 Class: 6.1 (5.1) Packing group: I

Proper shipping name: Toxic solids, oxidizing, n.o.s. (Sodium dichromate dihydrate)

Reportable Quantity (RQ): 10 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 3086 Class: 6.1 (5.1) Packing group: I EMS-No: F-A, S-Q Proper shipping name: TOXIC SOLID, OXIDIZING, N.O.S. (Sodium dichromate dihydrate)

Sigma-Aldrich - 398063 Page 6 of 7

Marine pollutant: No

IATA

UN number: 3086 Class: 6.1 (5.1) Packing group: I

Proper shipping name: Toxic solid, oxidizing, n.o.s. (Sodium dichromate dihydrate)

IATA Passenger: Not permitted for transport

15. REGULATORY INFORMATION

OSHA Hazards

Carcinogen, Target Organ Effect, Toxic by inhalation., Highly toxic by ingestion, Harmful by skin absorption., Respiratory sensitiser, Corrosive, Teratogen, Reproductive hazard, Mutagen

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Sodium dichromate dihydrate CAS-No. Revision Date 7789-12-0 1993-04-24

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

massachusetts right to rillow components		
Sodium dichromate dihydrate	CAS-No. 7789-12-0	Revision Date 1993-04-24
Pennsylvania Right To Know Components		
Sodium dichromate dihydrate	CAS-No. 7789-12-0	Revision Date 1993-04-24
New Jersey Right To Know Components		
Sodium dichromate dihydrate	CAS-No. 7789-12-0	Revision Date 1993-04-24
California Prop. 65 Components WARNING! This product contains a chemical known to the State of California to cause cancer. Sodium dichromate dihydrate	CAS-No. 7789-12-0	Revision Date 2008-12-19
California Prop. 65 Components WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. Sodium dichromate dihydrate	CAS-No. 7789-12-0	Revision Date 2008-12-19

16. OTHER INFORMATION

Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 398063 Page 7 of 7